

12/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 12/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	30.97	83.42	52.45	
SR4	28.38	82.00	53.62	
SR3	18.94	54.30	35.36	
SR1	17.58	46.40	28.82	
21R3	7.35	12.88	5.53	Meter read 45337 CF
WBE	11.09	16.87	5.78	
WBW	11.50	17.02	5.52	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.09 FEET
CCSD SANTA ROSA WELL SR4 = 53.62 FEET

SAN SIMEON CREEK WELLS				
16D1	7.81	11.36	3.55	
MW4	12.10	15.95	3.85	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.69	19.11	8.42	
9P7		20.69		Not Read
9L1	17.43	27.33	9.90	
RIW		25.41		Not Read
SS4	15.07	25.92	10.85	SS4 to 9P2 Gradient = + 2.43
MIW		29.89		Not Read
SS3	18.22	33.73	15.51	
SS2	16.06	33.16	17.10	
SS1	15.05	32.37	17.32	
11B1		105.43		Not Read
11C1	25.16	98.20	73.04	
PFNW	20.91	93.22	72.31	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	24.05	55.21	31.16	
9J3		43.45		Not Read
lagoon	20.30			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 16.64 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 12/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

12/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 12/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	39.60	83.42	43.82	
SR4	33.76	82.00	48.24	
SR3	19.72	54.30	34.58	
SR1	18.39	46.40	28.01	
21R3	9.05	12.88	3.83	Meter read 45337 CF
WBE	12.62	16.87	4.25	
WBW	13.15	17.02	3.87	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.30 FEET
CCSD SANTA ROSA WELL SR4 = 48.24 FEET

SAN SIMEON CREEK WELLS				
16D1	8.20	11.36	3.16	
MW4	12.62	15.95	3.33	
MW1	20.48	42.11	21.63	
MW2	19.29	38.10	18.81	
MW3	25.89	49.56	23.67	
9M1	29.11	65.63	36.52	
9P2	12.66	19.11	6.45	
9P7	13.06	20.69	7.63	
9L1	22.39	27.33	4.94	
RIW	18.86	25.41	6.55	
SS4	18.46	25.92	7.46	SS4 to 9P2 Gradient = + 1.01
MIW	20.77	29.89	9.12	
SS3	23.95	33.73	9.78	
SS2	23.55	33.16	9.61	
SS1	23.09	32.37	9.28	
11B1	40.29	105.43	65.14	
11C1	34.48	98.20	63.72	
PFNW	31.37	93.22	61.85	
10A1	40.36	78.18	37.82	
10G2	31.03	62.95	31.92	
10G1	29.22	59.55	30.33	
10F2	37.44	66.92	29.48	
10M2	34.46	55.21	20.75	
9J3	26.41	43.45	17.04	
lagoon	20.33			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 9.56 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 12/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

11/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 11/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.66	83.42	51.76	
SR4	29.05	82.00	52.95	
SR3	19.58	54.30	34.72	
SR1	18.30	46.40	28.10	
21R3	8.28	12.88	4.60	Meter read 45337 CF
WBE	11.94	16.87	4.93	
WBW	12.39	17.02	4.63	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.41 FEET
CCSD SANTA ROSA WELL SR4 = 52.95 FEET

SAN SIMEON CREEK WELLS				
16D1	7.71	11.36	3.65	
MW4	12.13	15.95	3.82	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.07	19.11	7.04	
9P7		20.69		Not Read
9L1	21.73	27.33	5.60	
RIW		25.41		Not Read
SS4	17.88	25.92	8.04	SS4 to 9P2 Gradient = + 1.00
MIW		29.89		Not Read
SS3	23.37	33.73	10.36	
SS2	22.81	33.16	10.35	
SS1	22.33	32.37	10.04	
11B1		105.43		Not Read
11C1	35.56	98.20	62.64	
PFNW	32.48	93.22	60.74	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	32.05	55.21	23.16	
9J3		43.45		Not Read
lagoon	19.95			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 10.25 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 11/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

11/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 11/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.92	83.42	48.50	
SR4	32.11	82.00	49.89	
SR3	19.56	54.30	34.74	
SR1	18.30	46.40	28.10	
21R3	8.38	12.88	4.50	Meter read 45337 CF
WBE	12.51	16.87	4.36	
WBW	12.04	17.02	4.98	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.42 FEET
CCSD SANTA ROSA WELL SR4 = 49.89 FEET

SAN SIMEON CREEK WELLS				
16D1	7.47	11.36	3.89	
MW4	11.90	15.95	4.05	
MW1	20.01	42.11	22.10	
MW2	18.91	38.10	19.19	
MW3	25.33	49.56	24.23	
9M1	34.02	65.63	31.61	
9P2	12.13	19.11	6.98	
9P7	13.23	20.69	7.46	
9L1	21.19	27.33	6.14	
RIW	17.50	25.41	7.91	
SS4	17.71	25.92	8.21	SS4 to 9P2 Gradient = + 1.23
MIW	19.37	29.89	10.52	
SS3	22.15	33.73	11.58	
SS2	21.55	33.16	11.61	
SS1	20.98	32.37	11.39	
11B1	42.08	105.43	63.35	
11C1	35.94	98.20	62.26	
PFNW	32.31	93.22	60.91	
10A1	39.02	78.18	39.16	
10G2	29.26	62.95	33.69	
10G1	27.38	59.55	32.17	
10F2	35.46	66.92	31.46	
10M2	31.76	55.21	23.45	
9J3	24.03	43.45	19.42	
lagoon	19.72			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 11.53 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 11/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

10/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 10/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	33.60	83.42	49.82	
SR4	30.87	82.00	51.13	
SR3	21.39	54.30	32.91	
SR1	18.94	46.40	27.46	
21R3	9.75	12.88	3.13	Meter read 45316 CF
WBE	13.27	16.87	3.60	
WBW	13.78	17.02	3.24	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 30.19 FEET
CCSD SANTA ROSA WELL SR4 = 51.13 FEET

SAN SIMEON CREEK WELLS				
16D1	8.17	11.36	3.19	
MW4	12.60	15.95	3.35	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.86	19.11	6.25	
9P7		20.69		Not Read
9L1	22.77	27.33	4.56	
RIW		25.41		Not Read
SS4	18.82	25.92	7.10	SS4 to 9P2 Gradient = + 0.85
MIW		29.89		Not Read
SS3	24.56	33.73	9.17	
SS2	24.18	33.16	8.98	
SS1	23.74	32.37	8.63	
11B1		105.43		Not Read
11C1	42.94	98.20	55.26	
PFNW	38.78	93.22	54.44	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	20.28	55.21	34.93	
9J3		43.45		Not Read
lagoon	20.28			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 8.93 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 10/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

10/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 10/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.64	83.42	48.78	
SR4	31.86	82.00	50.14	
SR3	20.44	54.30	33.86	
SR1	18.72	46.40	27.68	
21R3	9.65	12.88	3.23	Meter read 45291 CF
WBE	13.16	16.87	3.71	
WBW	13.70	17.02	3.32	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 30.77 FEET
CCSD SANTA ROSA WELL SR4 = 50.14 FEET

SAN SIMEON CREEK WELLS				
16D1	8.22	11.36	3.14	
MW4	12.63	15.95	3.32	
MW1	19.36	42.11	22.75	
MW2	18.46	38.10	19.64	
MW3	24.55	49.56	25.01	
9M1	34.26	65.63	31.37	
9P2	12.79	19.11	6.32	
9P7	13.13	20.69	7.56	
9L1	22.49	27.33	4.84	
RIW	18.89	25.41	6.52	
SS4	18.66	25.92	7.26	SS4 to 9P2 Gradient = + 0.94
MIW	20.67	29.89	9.22	
SS3	23.92	33.73	9.81	
SS2	23.50	33.16	9.66	
SS1	23.04	32.37	9.33	
11B1	47.71	105.43	57.72	
11C1	41.24	98.20	56.96	
PFNW	37.08	93.22	56.14	
10A1	40.64	78.18	37.54	
10G2	30.77	62.95	32.18	
10G1	28.98	59.55	30.57	
10F2	37.13	66.92	29.79	
10M2	34.52	55.21	20.69	
9J3	26.46	43.45	16.99	
lagoon	20.39			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 9.60 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 10/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

9/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 9/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.85	83.42	47.57	
SR4	32.74	82.00	49.26	
SR3	19.96	54.30	34.34	
SR1	18.48	46.40	27.92	
21R3	9.34	12.88	3.54	Meter read 45257 CF
WBE	12.87	16.87	4.00	
WBW	13.46	17.02	3.56	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.13 FEET
CCSD SANTA ROSA WELL SR4 = 49.26 FEET

SAN SIMEON CREEK WELLS				
16D1	7.62	11.36	3.74	
MW4	12.08	15.95	3.87	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.85	19.11	6.26	
9P7		20.69		Not Read
9L1	22.35	27.33	4.98	
RIW		25.41		Not Read
SS4	18.51	25.92	7.41	SS4 to 9P2 Gradient = + 1.15
MIW		29.89		Not Read
SS3	24.03	33.73	9.70	
SS2	23.56	33.16	9.60	
SS1	23.07	32.37	9.30	
11B1		105.43		Not Read
11C1	38.87	98.20	59.33	
PFNW	34.76	93.22	58.46	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	33.22	55.21	21.99	
9J3	19.70	43.45	23.75	
lagoon				mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 9.53 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 9/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

9/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 9/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	------------------------------------------	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	33.75	83.42	49.67	
SR4	30.88	82.00	51.12	
SR3	19.60	54.30	34.70	
SR1	18.19	46.40	28.21	
21R3	9.55	12.88	3.33	Meter read 45230 CF
WBE	13.02	16.87	3.85	
WBW	13.60	17.02	3.42	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.46 FEET
CCSD SANTA ROSA WELL SR4 = 51.12 FEET

SAN SIMEON CREEK WELLS

16D1	8.21	11.36	3.15	
MW4	12.62	15.95	3.33	
MW1	18.60	42.11	23.51	
MW2	17.81	38.10	20.29	
MW3	23.62	49.56	25.94	
9M1	30.87	65.63	34.76	
9P2	12.39	19.11	6.72	
9P7	12.80	20.69	7.89	
9L1	21.69	27.33	5.64	
RIW	18.07	25.41	7.34	
SS4	18.05	25.92	7.87	SS4 to 9P2 Gradient = + 1.15
MIW	19.78	29.89	10.11	
SS3	23.02	33.73	10.71	
SS2	22.15	33.16	11.01	
SS1	21.98	32.37	10.39	
11B1	42.83	105.43	62.60	
11C1	36.33	98.20	61.87	
PFNW	32.35	93.22	60.87	
10A1	37.31	78.18	40.87	
10G2	28.08	62.95	34.87	
10G1	26.33	59.55	33.22	
10F2	34.51	66.92	32.41	
10M2	32.22	55.21	22.99	
9J3	24.62	43.45	18.83	
lagoon	20.49			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 10.70 FEET

Red Font are the CCSD's Production Wells, as measured on 9/1/2021
 Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

8/16/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 8/16/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.98	83.42	47.44	
SR4	32.80	82.00	49.20	
SR3	19.67	54.30	34.63	
SR1	18.26	46.40	28.14	
21R3	9.64	12.88	3.24	Meter read 45203 CF
WBE	13.07	16.87	3.80	
WBW	13.64	17.02	3.38	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.39 FEET
CCSD SANTA ROSA WELL SR4 = 49.20 FEET

SAN SIMEON CREEK WELLS				
16D1	8.46	11.36	2.90	
MW4	12.85	15.95	3.10	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.34	19.11	6.77	
9P7		20.69		Not Read
9L1	21.18	27.33	6.15	
RIW		25.41		Not Read
SS4	17.79	25.92	8.13	SS4 to 9P2 Gradient = + 1.36
MIW		29.89		Not Read
SS3	22.08	33.73	11.65	
SS2	21.10	33.16	12.06	
SS1	20.92	32.37	11.45	
11B1		105.43		Not Read
11C1	33.35	98.20	64.85	
PFNW	29.49	93.22	63.73	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	31.25	55.21	23.96	
9J3		43.45		Not Read
lagoon	20.07			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 11.72 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 8/16/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

8/2/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 8/2/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.05	83.42	48.37	
SR4	32.20	82.00	49.80	
SR3	19.76	54.30	34.54	
SR1	18.24	46.40	28.16	
21R3	9.57	12.88	3.31	Meter read 45183 CF
WBE	13.02	16.87	3.85	
WBW	13.58	17.02	3.44	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.35 FEET
CCSD SANTA ROSA WELL SR4 = 49.80 FEET

SAN SIMEON CREEK WELLS				
16D1	8.68	11.36	2.68	
MW4	13.02	15.95	2.93	
MW1	17.74	42.11	24.37	
MW2	17.03	38.10	21.07	
MW3	22.58	49.56	26.98	
9M1	31.45	65.63	34.18	
9P2	12.10	19.11	7.01	
9P7	12.53	20.69	8.16	
9L1	20.65	27.33	6.68	
RIW	16.90	25.41	8.51	
SS4	17.45	25.92	8.47	SS4 to 9P2 Gradient = + 1.46
MIW	18.25	29.89	11.64	
SS3	21.31	33.73	12.42	
SS2	20.30	33.16	12.86	
SS1	20.07	32.37	12.30	
11B1	37.01	105.43	68.42	
11C1	30.65	98.20	67.55	
PFNW	26.97	93.22	66.25	
10A1	33.71	78.18	44.47	
10G2	25.28	62.95	37.67	
10G1	23.70	59.55	35.85	
10F2	31.96	66.92	34.96	
10M2	30.02	55.21	25.19	
9J3	22.64	43.45	20.81	
lagoon	20.95			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 12.53 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 8/2/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

7/14/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 7/14/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.77	83.42	47.65	
SR4	32.83	82.00	49.17	
SR3	19.64	54.30	34.66	
SR1	18.26	46.40	28.14	
21R3	9.06	12.88	3.82	Meter read 45101 CF
WBE	12.57	16.87	4.30	
WBW	13.15	17.02	3.87	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.40 FEET
CCSD SANTA ROSA WELL SR4 =				49.17 FEET
SAN SIMEON CREEK WELLS				
16D1	8.35	11.36	3.01	
MW4	12.75	15.95	3.20	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.12	19.11	6.99	
9P7		20.69		Not Read
9L1	20.10	27.33	7.23	
RIW		25.41		Not Read
SS4	17.16	25.92	8.76	SS4 to 9P2 Gradient = + 1.77
MIW		29.89		Not Read
SS3	20.41	33.73	13.32	
SS2	19.30	33.16	13.86	
SS1	19.03	32.37	13.34	
11B1		105.43		Not Read
11C1	27.05	98.20	71.15	
PFNW	23.57	93.22	69.65	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	28.64	55.21	26.57	
9J3		43.45		Not Read
lagoon	20.62			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =

13.51 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on

7/14/2021

Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

7/1/21

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 7/1/21

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.50	83.42	47.92	
SR4	32.55	82.00	49.45	
SR3	19.58	54.30	34.72	
SR1	18.26	46.40	28.14	
21R3	8.70	12.88	4.18	Meter read 45082 CF
WBE	12.25	16.87	4.62	
WBW	12.81	17.02	4.21	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.43 FEET
CCSD SANTA ROSA WELL SR4 = 49.45 FEET

SAN SIMEON CREEK WELLS				
16D1	8.20	11.36	3.16	
MW4	12.59	15.95	3.36	
MW1	16.69	42.11	25.42	
MW2	16.20	38.10	21.90	
MW3	21.31	49.56	28.25	
9M1	37.31	65.63	28.32	
9P2	12.00	19.11	7.11	
9P7	12.13	20.69	8.56	
9L1	19.72	27.33	7.61	
RIW	15.84	25.41	9.57	
SS4	16.92	25.92	9.00	SS4 to 9P2 Gradient = + 1.89
MIW	16.90	29.89	12.99	
SS3	19.82	33.73	13.91	
SS2	18.66	33.16	14.50	
SS1	18.33	32.37	14.04	
11B1	31.03	105.43	74.40	
11C1	24.77	98.20	73.43	
PFNW	21.39	93.22	71.83	
10A1	30.01	78.18	48.17	
10G2	22.34	62.95	40.61	
10G1	20.79	59.55	38.76	
10F2	29.17	66.92	37.75	
10M2	27.66	55.21	27.55	
9J3	20.42	43.45	23.03	
lagoon	20.51			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 14.15 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 7/1/21

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

6/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 6/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.69	83.42	50.73	
SR4	29.87	82.00	52.13	
SR3	19.45	54.30	34.85	
SR1	18.10	46.40	28.30	
21R3	8.29	12.88	4.59	Meter read 44920 CF
WBE	11.94	16.87	4.93	
WBW	12.40	17.02	4.62	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.58 FEET
CCSD SANTA ROSA WELL SR4 =				52.13 FEET
SAN SIMEON CREEK WELLS				
16D1	8.66	11.36	2.70	
MW4	12.99	15.95	2.96	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.74	19.11	7.37	
9P7		20.69		Not Read
9L1	19.73	27.33	7.60	
RIW		25.41		Not Read
SS4	16.68	25.92	9.24	SS4 to 9P2 Gradient = + 1.87
MIW		29.89		Not Read
SS3	20.33	33.73	13.40	
SS2	18.87	33.16	14.29	
SS1	18.42	32.37	13.95	
11B1		105.43		Not Read
11C1	22.29	98.20	75.91	
PFNW	19.09	93.22	74.13	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	26.02	55.21	29.19	
9J3		43.45		Not Read
lagoon	20.51			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =

13.88 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on

6/15/2021

Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

6/2/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 6/2/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	33.15	83.42	50.27	
SR4	30.34	82.00	51.66	
SR3	19.45	54.30	34.85	
SR1	18.07	46.40	28.33	
21R3	7.97	12.88	4.91	Meter read 44794 CF
WBE	11.66	16.87	5.21	
WBW	12.10	17.02	4.92	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.59 FEET
CCSD SANTA ROSA WELL SR4 = 51.66 FEET

SAN SIMEON CREEK WELLS				
16D1	8.38	11.36	2.98	
MW4	12.75	15.95	3.20	
MW1	15.71	42.11	26.40	
MW2	15.22	38.10	22.88	
MW3	20.16	49.56	29.40	
9M1	23.75	65.63	41.88	
9P2	11.53	19.11	7.58	
9P7	11.68	20.69	9.01	
9L1	18.78	27.33	8.55	
RIW	14.94	25.41	10.47	
SS4	16.14	25.92	9.78	SS4 to 9P2 Gradient = + 2.20
MIW	16.02	29.89	13.87	
SS3	18.49	33.73	15.24	
SS2	17.62	33.16	15.54	
SS1	16.75	32.37	15.62	
11B1	25.88	105.43	79.55	
11C1	19.91	98.20	78.29	
PFNW	17.14	93.22	76.08	
10A1	27.17	78.18	51.01	
10G2	20.40	62.95	42.55	
10G1	18.74	59.55	40.81	
10F2	27.16	66.92	39.76	
10M2	24.85	55.21	30.36	
9J3	18.05	43.45	25.40	
lagoon	20.68			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 15.47 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 6/2/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

5/17/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 5/17/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.72	83.42	50.70	
SR4	29.93	82.00	52.07	
SR3	19.39	54.30	34.91	
SR1	18.00	46.40	28.40	
21R3	7.87	12.88	5.01	Meter read 44696 CF
WBE	11.58	16.87	5.29	
WBW	12.00	17.02	5.02	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.66 FEET
CCSD SANTA ROSA WELL SR4 = 52.07 FEET

SAN SIMEON CREEK WELLS				
16D1	8.25	11.36	3.11	
MW4	12.63	15.95	3.32	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.33	19.11	7.78	
9P7		20.69		Not Read
9L1	17.77	27.33	9.56	
RIW		25.41		Not Read
SS4	15.60	25.92	10.32	SS4 to 9P2 Gradient = + 2.54
MIW		29.89		Not Read
SS3	17.50	33.73	16.23	
SS2	16.11	33.16	17.05	
SS1	15.67	32.37	16.70	
11B1		105.43		Not Read
11C1	17.52	98.20	80.68	
PFNW	15.36	93.22	77.86	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	24.51	55.21	30.70	
9J3		43.45		Not Read
lagoon	20.55			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 16.66 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/17/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

5/3/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 5/3/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.90	83.42	50.52	
SR4	30.15	82.00	51.85	
SR3	19.39	54.30	34.91	
SR1	17.95	46.40	28.45	
21R3	7.81	12.88	5.07	Meter read 44602 CF
WBE	11.49	16.87	5.38	
WBW	11.97	17.02	5.05	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.68 FEET
CCSD SANTA ROSA WELL SR4 = 51.85 FEET

SAN SIMEON CREEK WELLS				
16D1	7.83	11.36	3.53	
MW4	12.25	15.95	3.70	
MW1	14.72	42.11	27.39	
MW2	14.50	38.10	23.60	
MW3	18.97	49.56	30.59	
9M1	20.91	65.63	44.72	
9P2	11.14	19.11	7.97	
9P7	11.22	20.69	9.47	
9L1	16.77	27.33	10.56	
RIW	12.74	25.41	12.67	
SS4	15.08	25.92	10.84	SS4 to 9P2 Gradient = + 2.87
MIW	13.30	29.89	16.59	
SS3	16.00	33.73	17.73	
SS2	15.14	33.16	18.02	
SS1	14.28	32.37	18.09	
11B1	20.79	105.43	84.64	
11C1	15.57	98.20	82.63	
PFNW	13.93	93.22	79.29	
10A1	27.23	78.18	50.95	
10G2	20.16	62.95	42.79	
10G1	18.57	59.55	40.98	
10F2	26.67	66.92	40.25	
10M2	23.54	55.21	31.67	
9J3	16.27	43.45	27.18	
lagoon	20.13			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 17.95 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/3/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

4/15/21

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/15/21

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.57	83.42	50.85	
SR4	29.84	82.00	52.16	
SR3	19.37	54.30	34.93	
SR1	17.99	46.40	28.41	
21R3	7.77	12.88	5.11	Meter read 44480 CF
WBE	11.41	16.87	5.46	
WBW	11.90	17.02	5.12	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.67 FEET
CCSD SANTA ROSA WELL SR4 = 52.16 FEET

SAN SIMEON CREEK WELLS				
16D1	7.73	11.36	3.63	
MW4	12.13	15.95	3.82	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.88	19.11	8.23	
9P7		20.69		Not Read
9L1	16.01	27.33	11.32	
RIW		25.41		Not Read
SS4	14.64	25.92	11.28	SS4 to 9P2 Gradient = + 3.05
MIW		29.89		Not Read
SS3	15.11	33.73	18.62	
SS2	13.61	33.16	19.55	
SS1	13.16	32.37	19.21	
11B1		105.43		Not Read
11C1	14.82	98.20	83.38	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	23.16	55.21	32.05	
9J3		43.45		Not Read
lagoon	20.00			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/15/21

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

4/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.19	83.42	49.23	
SR4	31.95	82.00	50.05	
SR3	19.37	54.30	34.93	
SR1	17.95	46.40	28.45	
21R3	7.45	12.88	5.43	Meter read 44435 CF
WBE	11.09	16.87	5.78	
WBW	11.60	17.02	5.42	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.69 FEET
CCSD SANTA ROSA WELL SR4 = 50.05 FEET

SAN SIMEON CREEK WELLS				
16D1	7.45	11.36	3.91	
MW4	11.83	15.95	4.12	
MW1	13.46	42.11	28.65	
MW2	13.23	38.10	24.87	
MW3	17.75	49.56	31.81	
9M1	21.28	65.63	44.35	
9P2	10.62	19.11	8.49	
9P7	10.51	20.69	10.18	
9L1	15.69	27.33	11.64	
RIW	11.70	25.41	13.71	
SS4	14.37	25.92	11.55	SS4 to 9P2 Gradient = + 3.06
MIW	12.25	29.89	17.64	
SS3	14.98	33.73	18.75	
SS2	13.82	33.16	19.34	
SS1	13.06	32.37	19.31	
11B1	19.69	105.43	85.74	
11C1	14.66	98.20	83.54	
PFNW	13.44	93.22	79.78	
10A1	26.28	78.18	51.90	
10G2	19.89	62.95	43.06	
10G1	18.37	59.55	41.18	
10F2	26.48	66.92	40.44	
10M2	23.16	55.21	32.05	
9J3	16.00	43.45	27.45	
lagoon	19.77			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

3/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 3/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.04	83.42	52.38	
SR4	28.45	82.00	53.55	
SR3	19.28	54.30	35.02	
SR1	17.90	46.40	28.50	
21R3	7.28	12.88	5.60	Meter read 44432 CF
WBE	11.29	16.87	5.58	
WBW	11.76	17.02	5.26	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.76 FEET
CCSD SANTA ROSA WELL SR4 =				53.55 FEET

SAN SIMEON CREEK WELLS				
16D1	6.86	11.36	4.50	
MW4	11.28	15.95	4.67	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.27	19.11	8.84	
9P7		20.69		Not Read
9L1	15.46	27.33	11.87	
RIW		25.41		Not Read
SS4	14.17	25.92	11.75	SS4 to 9P2 Gradient = + 2.91
MIW		29.89		Not Read
SS3	14.69	33.73	19.04	
SS2	13.25	33.16	19.91	
SS1	12.81	32.37	19.56	
11B1		105.43		Not Read
11C1	14.55	98.20	83.65	
PFNW	13.31	93.22	79.91	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	19.21	55.21	36.00	
9J3		43.45		Not Read
lagoon	19.21			mitigation errosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				19.50 FEET

revised 6/6/16
3/15/2021
Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

Red Font are the CCSD's Production Wells, as measured on

3/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 3/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.11	83.42	52.31	
SR4	28.51	82.00	53.49	
SR3	19.34	54.30	34.96	
SR1	17.86	46.40	28.54	
21R3	7.45	12.88	5.43	Meter read 44432 CF
WBE	11.11	16.87	5.76	
WBW	11.61	17.02	5.41	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.75 FEET
CCSD SANTA ROSA WELL SR4 = 53.49 FEET

SAN SIMEON CREEK WELLS				
16D1	7.02	11.36	4.34	
MW4	11.42	15.95	4.53	
MW1	12.07	42.11	30.04	
MW2	11.77	38.10	26.33	
MW3	16.98	49.56	32.58	
9M1	21.23	65.63	44.40	
9P2	10.44	19.11	8.67	
9P7	9.21	20.69	11.48	
9L1	15.48	27.33	11.85	
RIW	11.45	25.41	13.96	
SS4	14.20	25.92	11.72	SS4 to 9P2 Gradient = + 3.05
MIW	12.00	29.89	17.89	
SS3	14.73	33.73	19.00	
SS2	13.28	33.16	19.88	
SS1	12.84	32.37	19.53	
11B1	19.73	105.43	85.70	
11C1	14.58	98.20	83.62	
PFNW	13.33	93.22	79.89	
10A1	26.41	78.18	51.77	
10G2	19.83	62.95	43.12	
10G1	18.30	59.55	41.25	
10F2	26.43	66.92	40.49	
10M2	23.25	55.21	31.96	
9J3	15.88	43.45	27.57	
lagoon	19.32			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.47 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 3/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/16/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/16/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.22	83.42	49.20	
SR4	31.31	82.00	50.69	
SR3	19.18	54.30	35.12	
SR1	17.88	46.40	28.52	
21R3	7.65	12.88	5.23	Meter read 44432 CF
WBE	11.29	16.87	5.58	
WBW	11.78	17.02	5.24	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.82 FEET
CCSD SANTA ROSA WELL SR4 = 50.69 FEET

SAN SIMEON CREEK WELLS				
16D1	7.53	11.36	3.83	
MW4	11.87	15.95	4.08	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.08	19.11	9.03	
9P7		20.69		Not Read
9L1	15.12	27.33	12.21	
RIW		25.41		Not Read
SS4	13.92	25.92	12.00	SS4 to 9P2 Gradient = + 2.97
MIW		29.89		Not Read
SS3	14.22	33.73	19.51	
SS2	12.87	33.16	20.29	
SS1	12.49	32.37	19.88	
11B1		105.43		Not Read
11C1	14.45	98.20	83.75	
PFNW	13.16	93.22	80.06	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.70	55.21	32.51	
9J3		43.45		Not Read
lagoon	19.97			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.89 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/16/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/1/2020

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/1/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	28.91	83.42	54.51	
SR4	26.36	82.00	55.64	
SR3	18.49	54.30	35.81	
SR1	16.87	46.40	29.53	
21R3	7.48	12.88	5.40	Meter read 44432 CF
WBE	11.11	16.87	5.76	
WBW	11.64	17.02	5.38	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.67 FEET
CCSD SANTA ROSA WELL SR4 = 55.64 FEET

SAN SIMEON CREEK WELLS				
16D1	7.07	11.36	4.29	
MW4	10.89	15.95	5.06	
MW1	10.18	42.11	31.93	
MW2	9.08	38.10	29.02	
MW3	16.30	49.56	33.26	
9M1	24.69	65.63	40.94	
9P2	7.41	19.11	11.70	
9P7	5.67	20.69	15.02	
9L1	13.70	27.33	13.63	
RIW	9.44	25.41	15.97	
SS4	12.18	25.92	13.74	SS4 to 9P2 Gradient = + 2.04
MIW	9.74	29.89	20.15	
SS3	12.42	33.73	21.31	
SS2	11.47	33.16	21.69	
SS1	11.16	32.37	21.21	
11B1	18.64	105.43	86.79	
11C1	13.45	98.20	84.75	
PFNW	12.41	93.22	80.81	
10A1	24.61	78.18	53.57	
10G2	18.77	62.95	44.18	
10G1	17.33	59.55	42.22	
10F2	25.08	66.92	41.84	
10M2	21.71	55.21	33.50	
9J3	14.12	43.45	29.33	
lagoon	19.71			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 21.40 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/1/2020

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

1/20/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/20/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R		83.42		
SR4		82.00		
SR3		54.30		
SR1		46.40		
21R3		12.88		Meter read 44063 CF
WBE		16.87		Not Read
WBW		17.02		Not Read
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				FEET
CCSD SANTA ROSA WELL SR4 =				FEET

SAN SIMEON CREEK WELLS				
16D1		11.36		Not Read
MW4		15.95		
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.67	19.11	7.44	
9P7	12.61	20.69	8.08	
9L1		27.33		Not Read
RIW		25.41		Not Read
SS4	18.06	25.92	7.86	SS4 to 9P2 Gradient = + 0.42
MIW		29.89		Not Read
SS3		33.73		Not Read
SS2		33.16		Not Read
SS1		32.37		Not Read
11B1		105.43		Not Read
11C1		98.20		Not Read
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2		55.21		Not Read
9J3		43.45		Not Read
lagoon				mitigation erosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/20/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

1/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.31	83.42	49.11	
SR4	30.39	82.00	51.61	
SR3	19.71	54.30	34.59	
SR1	18.05	46.40	28.35	
21R3	6.13	12.88	6.75	Meter read 44432 CF
WBE	10.29	16.87	6.58	
WBW	10.01	17.02	7.01	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.47 FEET
CCSD SANTA ROSA WELL SR4 = 51.61 FEET

SAN SIMEON CREEK WELLS				
16D1	6.11	11.36	5.25	
MW4	9.30	15.95	6.65	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.11	19.11	8.00	
9P7		20.69		Not Read
9L1	22.30	27.33	5.03	
RIW		25.41		Not Read
SS4	17.83	25.92	8.09	SS4 to 9P2 Gradient = + 0.09
MIW		29.89		Not Read
SS3	24.43	33.73	9.30	
SS2	24.12	33.16	9.04	
SS1	23.81	32.37	8.56	
11B1		105.43		Not Read
11C1	44.10	98.20	54.10	
PFNW	40.42	93.22	52.80	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	40.90	55.21	14.31	
9J3		43.45		Not Read
lagoon	17.17			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 8.97 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/4/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.11	83.42	51.31	
SR4	29.51	82.00	52.49	
SR3	19.83	54.30	34.47	
SR1	18.12	46.40	28.28	
21R3	7.64	12.88	5.24	Meter read 44432 CF
WBE	11.47	16.87	5.40	
WBW	11.81	17.02	5.21	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.38 FEET
CCSD SANTA ROSA WELL SR4 =				52.49 FEET

SAN SIMEON CREEK WELLS				
16D1	6.28	11.36	5.08	
MW4	10.73	15.95	5.22	
MW1	20.00	42.11	22.11	
MW2	18.39	38.10	19.71	
MW3	25.50	49.56	24.06	
9M1	27.15	65.63	38.48	
9P2	11.43	19.11	7.68	
9P7	12.79	20.69	7.90	
9L1	21.85	27.33	5.48	
RIW	18.39	25.41	7.02	
SS4	17.68	25.92	8.24	SS4 to 9P2 Gradient = + 0.56
MIW	20.51	29.89	9.38	
SS3	23.93	33.73	9.80	
SS2	23.61	33.16	9.55	
SS1	23.27	32.37	9.10	
11B1	50.75	105.43	54.68	
11C1	44.60	98.20	53.60	
PFNW	40.71	93.22	52.51	
10A1	45.17	78.18	33.01	
10G2	34.16	62.95	28.79	
10G1	32.26	59.55	27.29	
10F2	40.08	66.92	26.84	
10M2	36.15	55.21	19.06	
9J3	27.27	43.45	16.18	
lagoon	18.57			mitigation erosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				9.48 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/4/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015