

*Final Environmental Impact Report*

---

# **Cambria Desalination Facility**

**Prepared for:**  
**Cambria Community Services District**

**Prepared by:**  
**Robert Bein, William Frost & Associates**

**MEMORANDUM TO REVIEWERS  
OF THE  
FINAL ENVIRONMENTAL IMPACT REPORT**

The Cambria Community Services District (CCSD) has prepared the Final Environmental Impact Report for the Cambria Desalination Facility Project in accordance with the California Environmental Quality Act, including Sections 15088, 15089 and Section 15132. The CCSD has prepared responses to comments received on the Draft EIR, which was available for public review between September 14, 1994 and October 28, 1994 (45 days). Additions to the text are denoted by shaded text while deletions are indicated by ~~strike-out text~~ to provide the reader with a vehicle for recognizing substantive changes to the text. Section 15132 of the CEQA Guidelines requires that a Final EIR consist of:

1. The Draft EIR or a revision of the Draft.
2. Comments and recommendations received on the Draft EIR either verbatim or in summary.
3. A list of persons, organizations and public agencies commenting on the Draft EIR.
4. The responses of the Lead Agency to significant environmental issues raised in the review and consultation process.
5. Any other information added by the Lead Agency.

The Final EIR, including the revised Draft EIR, and Comments and Responses, together with other relevant information, shall be considered by the CCSD Board of Directors in evaluating the proposed project. The CCSD and other responsible agencies must consider the Final EIR when issuing permits or approvals for the project, or other project-related discretionary actions.

The Comments and Responses section (Section 14.0) includes all of the requirements of Section 15132 and is attached to the revised Draft EIR to make up the Final EIR. Each comment letter is followed by the corresponding responses. A response is provided for each comment raising significant environmental issues, as formally received by the CCSD during the 45-day Draft EIR review period. The responses are keyed to notations in the right margin of each comment.

Screencheck EIR Completed: July 18, 1994  
Second Screencheck EIR Completed: August 23, 1994  
Draft EIR Distributed: September 14, 1994  
Final EIR Completed: December 8, 1994

**FINAL**  
**ENVIRONMENTAL IMPACT REPORT**  
**CAMBRIA DESALINATION FACILITY**

SCH # 94051042

Lead Agency:

**Cambria Community Services District**  
2284 Center Street  
P.O. Box 65  
Cambria, CA 93428  
Contact:  
David J. Andres, General Manager  
(805) 927-3823

Consultant:

**Robert Bein, William Frost & Associates**  
14725 Alton Parkway  
Irvine, CA 92718  
Contacts:  
Glenn Lajoie, AICP  
Trevor Smith  
(714) 472-3505

**December 1994**

JN 30175

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**TABLE OF CONTENTS**

		<u>Page</u>
<b>1.</b>	<b>INTRODUCTION AND PURPOSE</b>	
1.1	Purpose of the EIR .....	1-1
1.2	Compliance with CEQA .....	1-1
1.3	Scope of the EIR .....	1-2
1.4	Use of the EIR .....	1-3
1.5	Incorporation by Reference .....	1-4
<b>2.</b>	<b>EXECUTIVE SUMMARY</b>	
2.1	Project Summary .....	2-1
2.2	Environmental Summary .....	2-3
2.3	Summary of Project Alternatives .....	2-31
<b>3.</b>	<b>PROJECT LOCATION AND BACKGROUND INFORMATION</b>	
3.1	Project Location and Overview .....	3-1
3.2	Current Uses of Desalination .....	3-1
3.3	Background and History of Cambria’s Proposed Facility .....	3-4
3.4	Project Objectives .....	3-6
3.5	Agreements, Permits and Approvals Required .....	3-9
<b>4.</b>	<b>PROJECT DESCRIPTION</b>	
4.1	Operational Phasing .....	4-1
4.2	Desalination Plant .....	4-1
4.3	Transmission Lines .....	4-5
4.4	Seawater Intake .....	4-7
4.5	Pretreatment .....	4-8
4.6	Posttreatment .....	4-12
4.7	Seawater Disposal .....	4-13
4.8	Power Supply .....	4-15
4.9	Construction Methods .....	4-17
4.10	Project Operations and Water Supply Performance .....	4-18

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**TABLE OF CONTENTS  
(Continued)**

		<u>Page</u>
<b>5.</b>	<b>DESCRIPTION OF ENVIRONMENTAL SETTING, IMPACTS AND MITIGATION MEASURES</b>	
5.1	Geology, Soils and Seismicity . . . . .	5.1-1
5.2	Hydrology, Drainage and Groundwater . . . . .	5.2-1
5.3	Terrestrial Biological Resources . . . . .	5.3-1
5.4	Marine Resources . . . . .	5.4-1
5.5	Cultural Resources . . . . .	5.5-1
5.6	Land Use and Relevant Planning . . . . .	5.6-1
5.7	Aesthetics, Light and Glare . . . . .	5.7-1
5.8	Noise . . . . .	5.8-1
5.9	Air Quality . . . . .	5.9-1
5.10	Human Health/Risk of Upset . . . . .	5.10-1
5.11	Transportation and Utilities . . . . .	5.11-1
5.12	Public Services . . . . .	5.12-1
<b>6.</b>	<b>LONG-TERM IMPLICATIONS OF THE PROPOSED PROJECT</b>	
6.1	Significant Irreversible Environmental Changes that Would be Involved in the Proposed Action Should it be Implemented . . . . .	6-1
6.2	Growth-Inducing Impacts . . . . .	6-1
6.3	Cumulative Impacts . . . . .	6-6
<b>7.</b>	<b>ALTERNATIVES TO THE PROPOSED PROJECT</b>	
7.1	"No Project" Alternative . . . . .	7-1
7.2	"San Simeon Beach Route" Alternative . . . . .	7-2
7.3	"Santa Rosa Creek Well Intake" Alternative . . . . .	7-12
7.4	"Santa Rosa Creek Multiple Intake Wells" Alternative . . . . .	7-21
7.5	"San Simeon Community Services District" Alternative . . . . .	7-22
7.6	"Distillation" Alternative . . . . .	7-27
7.7	"Component" Alternative . . . . .	7-31
7.8	"Van Gordon Creek Site" Alternative . . . . .	7-32
<b>8.</b>	<b>INVENTORY OF MITIGATION MEASURES . . . . .</b>	<b>8-1</b>
<b>9.</b>	<b>INVENTORY OF UNAVOIDABLE SIGNIFICANT IMPACTS . . . . .</b>	<b>9-1</b>
<b>10.</b>	<b>EFFECTS FOUND NOT TO BE SIGNIFICANT . . . . .</b>	<b>10-1</b>

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**TABLE OF CONTENTS  
(Continued)**

	<u>Page</u>
11. GENERAL DEFINITIONS AND DESALINATION TERMINOLOGY . . . .	11-1
12. MITIGATION MONITORING PROGRAM . . . . .	12-1
13. ORGANIZATIONS AND PERSONS CONSULTED . . . . .	13-1
14. BIBLIOGRAPHY . . . . .	14-1
15. COMMENTS AND RESPONSES . . . . .	15-1
<b>16. APPENDICES</b>	
A. Initial Study/NOP	
B. Salinity Modeling Report for the Brine Outfall	
C. Geologic Bluff Stability Report	
D. Results of Sea Floor Sediment Sampling	
E. Terrestrial Biological Assessment Data	
F. Marine Resources Assessment Data	
G. Archaeological Survey/Report	
H. Noise Data	
I. Air Quality Data	
J. Correspondence	

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**LIST OF EXHIBITS**

	<u>Page</u>
1. Regional Vicinity .....	3-2
2. Service Area .....	3-5
3. Project Location and Layout .....	4-2
4. Intake/Outfall Transmission Line Locations .....	4-3
5. Desalination Plant .....	4-4
6. Seawater Intake Method .....	4-6
7. Schematic Process Flow Diagram .....	4-9
8. 100-Year Floodplain Under Existing Conditions .....	5.2-3
9. Aerial Photograph .....	5.6-2
10. Reverse Osmosis Site Photographs .....	5.7-3
11. Proposed Structure .....	5.7-8
12. Noise Monitor Locations .....	5.8-6
13. San Simeon Beach Route .....	7-3
14. Ranney Collector in Beach .....	7-4
15. Santa Rosa Creek Well Intake .....	7-13

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**LIST OF TABLES**

	<u>Page</u>
1. Coastal Seawater Desalination Plans in California .....	3-3
2. CCSD Domestic Water Production .....	3-7
3. Projected CCSD Domestic Water Demand .....	3-8
4. Project Energy Requirements .....	4-16
5. Rare, Endangered and Other Sensitive Species .....	5.3-11
6. Marine Mammals of the Project Region .....	5.4-11
7. Sensitive, Threatened and Endangered Marine Organisms in the Project Region .....	5.4-14
8. Vertical Distribution of Cultural Materials from SLO-1373 Locus A .....	5.5-6
9. Distribution of Cultural Materials from SLO-1373 Along Four Proposed Pipeline Corridors from the Desalination Plant and San Simeon Creek Road .....	5.5-7
10. Vertical Distribution of Cultural Materials from SLO-1373, Unit F-1 .....	5.5-9
11. Comparison of Chert Types from Three Areas at San Simeon Creek Sites	5.5-12
12. Summary of Affects to Cultural Resources for CCSD Desalination Project .	5.5-13
13. Sound Levels and Human Response .....	5.8-2
14. Maximum Allowable Noise Exposure, Stationary Noise Sources .....	5.8-4
15. Noise Measurements .....	5.8-7
16. Local Air Quality Levels Measured at the Morro Bay Air Monitoring Station .....	5.9-4
17. Level of Construction Activity Requiring Mitigation .....	5.9-8
18. Operation Emission Thresholds .....	5.9-8
19. Diesel Construction Equipment Emission Rates .....	5.9-10

**ENVIRONMENTAL IMPACT REPORT  
CAMBRIA DESALINATION FACILITY**

**LIST OF TABLES**

(Continued)

20.	Construction Emissions .....	5.9-11
21.	Unmitigated Operational Emissions from Natural Gas Engines .....	5.9-14
22.	Mitigated Operational Emissions from Natural Gas Engines .....	5.9-14
23.	Operational Emissions from Power Plant .....	5.9-18
24.	Population Projections Scenario .....	6-3
25.	Wastewater Treatment Facility Flow Projections .....	6-4