



13-Control Room Arrangement-HH-060914-V001

ISO TOP VIEW

ISO TOP VIEW



DRAWING REVISION		DATE		DESCRIPTION	




SPENCERVILLE
OPERATION BLDG









PRELIMINARY LAYOUT

DATE: 2012-10-05
SCALE: 1/8" = 1'-0"







13-Control Room Arrangement-HH-060914-V001



13-Control Room Arrangement-HH-060914-V001



13-Control Room Arrangement-HH-060914-V001



APPROXIMATE WEIGHT
SHIPPING WEIGHT = 14 250 LBS

DRAWING REVISION	
NO.	DESCRIPTION

h2o innovation

SPENCERVILLE
PRELIMINARY LAYOUT
OPERATION BLDG

DATE	10/14/13	BY	
SCALE	AS SHOWN	CHECKED	
PROJECT	P12069-006-0008-01_04	DATE	10/14/13
REV		DATE	

PRELIMINARY LAYOUT



Product List

Nylon

- Nylon Tubing
Metric Nylon Tubing

Thermoplastic Rubber

- Santoprene® Tubing

Polyethylene

- HDPE Tubing
NSF 51 / NSF 61 HDPE Tubing
LLDPE Tubing
Metric LLDPE Tubing
NSF 51 / NSF 61 LLDPE

Polypropylene

- Polypropylene Tubing
NSF 51 Polypropylene Tubing

Flexible Vinyl/PVC

- Food Grade Vinyl Tubing

Flexible EVA

- Ethyl Vinyl Acetate Tubing

Polyurethane

- Polyurethane Tubing

Spira-Tube

- Spira Tube Polyethylene Tubing

Extruded Plastic Profiles

- Stock Plastic Profiles
Custom Plastic Profiles
Hudson Window Frame

Engineering Library

- Material Specifications
Physical Properties
Specifying Guide
Custom Services

High Density Polyethylene Tubing
HDPE Plastic Tubing

High Density Polyethylene plastic tubing is less flexible than LDPE, but has better physical and chemical properties, and withstands sterilization by boiling. HDPE tubing is widely used in transporting air, water and chemicals. High Density Polyethylene tubing is produced from raw materials which meet FDA requirements. NSF 51/61 High Density Polyethylene tubing also available. For more information about the chemical resistance properties of high density polyethylene tubing, visit our plastic tubing specifying guide.



HDPE Tubing Colors:

- Natural(semi-opaque white)
Black(specific sizes) - The color black is good for improved durability in direct sunlight and outdoor exposure.

Coil Length:

- 100'

High Density Polyethylene tubing is available in cut pieces, special lengths and colors on custom basis.


For best results, use sleeved compression fittings with all thermoplastic tubing.

I.D.=Inside Diameter
O.D.=Outside Diameter

CLICK BLUE LINKS BELOW for a Rapid Response Quote.

High Density Polyethylene Plastic Tubing--HDPE

Table with 5 columns: I.D. Sizes, O.D. Sizes, Wall Thickness, Working PSI@73°F. Rows include Spira-Tube, Extruded Plastic Profiles, and Engineering Library items.



CONTACT US for more information

Form fields for First Name, Last Name, Company, Email, and Phone.

Please tell us your inquiry or project needs..

Send button with arrow



Need your Tubing Custom Cut, Packed, Colored etc, Click Here!

Call: 877-746-7570 Fax: 330.653.6551



Hudson Extrusions, Inc.