

5/3/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 5/3/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.90	83.42	50.52	
SR4	30.15	82.00	51.85	
SR3	19.39	54.30	34.91	
SR1	17.95	46.40	28.45	
21R3	7.81	12.88	5.07	Meter read 44602 CF
WBE	11.49	16.87	5.38	
WBW	11.97	17.02	5.05	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.68 FEET
CCSD SANTA ROSA WELL SR4 = 51.85 FEET

SAN SIMEON CREEK WELLS				
16D1	7.83	11.36	3.53	
MW4	12.25	15.95	3.70	
MW1	14.72	42.11	27.39	
MW2	14.50	38.10	23.60	
MW3	18.97	49.56	30.59	
9M1	20.91	65.63	44.72	
9P2	11.14	19.11	7.97	
9P7	11.22	20.69	9.47	
9L1	16.77	27.33	10.56	
RIW	12.74	25.41	12.67	
SS4	15.08	25.92	10.84	SS4 to 9P2 Gradient = + 2.87
MIW	13.30	29.89	16.59	
SS3	16.00	33.73	17.73	
SS2	15.14	33.16	18.02	
SS1	14.28	32.37	18.09	
11B1	20.79	105.43	84.64	
11C1	15.57	98.20	82.63	
PFNW	13.93	93.22	79.29	
10A1	27.23	78.18	50.95	
10G2	20.16	62.95	42.79	
10G1	18.57	59.55	40.98	
10F2	26.67	66.92	40.25	
10M2	23.54	55.21	31.67	
9J3	16.27	43.45	27.18	
lagoon	20.13			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 17.95 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/3/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

4/15/21

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/15/21

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.57	83.42	50.85	
SR4	29.84	82.00	52.16	
SR3	19.37	54.30	34.93	
SR1	17.99	46.40	28.41	
21R3	7.77	12.88	5.11	Meter read 44480 CF
WBE	11.41	16.87	5.46	
WBW	11.90	17.02	5.12	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.67 FEET
CCSD SANTA ROSA WELL SR4 = 52.16 FEET

SAN SIMEON CREEK WELLS				
16D1	7.73	11.36	3.63	
MW4	12.13	15.95	3.82	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.88	19.11	8.23	
9P7		20.69		Not Read
9L1	16.01	27.33	11.32	
RIW		25.41		Not Read
SS4	14.64	25.92	11.28	SS4 to 9P2 Gradient = + 3.05
MIW		29.89		Not Read
SS3	15.11	33.73	18.62	
SS2	13.61	33.16	19.55	
SS1	13.16	32.37	19.21	
11B1		105.43		Not Read
11C1	14.82	98.20	83.38	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	23.16	55.21	32.05	
9J3		43.45		Not Read
lagoon	20.00			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/15/21

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

4/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.19	83.42	49.23	
SR4	31.95	82.00	50.05	
SR3	19.37	54.30	34.93	
SR1	17.95	46.40	28.45	
21R3	7.45	12.88	5.43	Meter read 44435 CF
WBE	11.09	16.87	5.78	
WBW	11.60	17.02	5.42	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.69 FEET
CCSD SANTA ROSA WELL SR4 = 50.05 FEET

SAN SIMEON CREEK WELLS				
16D1	7.45	11.36	3.91	
MW4	11.83	15.95	4.12	
MW1	13.46	42.11	28.65	
MW2	13.23	38.10	24.87	
MW3	17.75	49.56	31.81	
9M1	21.28	65.63	44.35	
9P2	10.62	19.11	8.49	
9P7	10.51	20.69	10.18	
9L1	15.69	27.33	11.64	
RIW	11.70	25.41	13.71	
SS4	14.37	25.92	11.55	SS4 to 9P2 Gradient = + 3.06
MIW	12.25	29.89	17.64	
SS3	14.98	33.73	18.75	
SS2	13.82	33.16	19.34	
SS1	13.06	32.37	19.31	
11B1	19.69	105.43	85.74	
11C1	14.66	98.20	83.54	
PFNW	13.44	93.22	79.78	
10A1	26.28	78.18	51.90	
10G2	19.89	62.95	43.06	
10G1	18.37	59.55	41.18	
10F2	26.48	66.92	40.44	
10M2	23.16	55.21	32.05	
9J3	16.00	43.45	27.45	
lagoon	19.77			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

3/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 3/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.04	83.42	52.38	
SR4	28.45	82.00	53.55	
SR3	19.28	54.30	35.02	
SR1	17.90	46.40	28.50	
21R3	7.28	12.88	5.60	Meter read 44432 CF
WBE	11.29	16.87	5.58	
WBW	11.76	17.02	5.26	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.76 FEET
CCSD SANTA ROSA WELL SR4 = 53.55 FEET

SAN SIMEON CREEK WELLS

16D1	6.86	11.36	4.50	
MW4	11.28	15.95	4.67	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.27	19.11	8.84	
9P7		20.69		Not Read
9L1	15.46	27.33	11.87	
RIW		25.41		Not Read
SS4	14.17	25.92	11.75	SS4 to 9P2 Gradient = + 2.91
MIW		29.89		Not Read
SS3	14.69	33.73	19.04	
SS2	13.25	33.16	19.91	
SS1	12.81	32.37	19.56	
11B1		105.43		Not Read
11C1	14.55	98.20	83.65	
PFNW	13.31	93.22	79.91	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	19.21	55.21	36.00	
9J3		43.45		Not Read
lagoon	19.21			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.50 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 3/15/2021

Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

3/1/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 3/1/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.11	83.42	52.31	
SR4	28.51	82.00	53.49	
SR3	19.34	54.30	34.96	
SR1	17.86	46.40	28.54	
21R3	7.45	12.88	5.43	Meter read 44432 CF
WBE	11.11	16.87	5.76	
WBW	11.61	17.02	5.41	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.75 FEET
CCSD SANTA ROSA WELL SR4 = 53.49 FEET

SAN SIMEON CREEK WELLS				
16D1	7.02	11.36	4.34	
MW4	11.42	15.95	4.53	
MW1	12.07	42.11	30.04	
MW2	11.77	38.10	26.33	
MW3	16.98	49.56	32.58	
9M1	21.23	65.63	44.40	
9P2	10.44	19.11	8.67	
9P7	9.21	20.69	11.48	
9L1	15.48	27.33	11.85	
RIW	11.45	25.41	13.96	
SS4	14.20	25.92	11.72	SS4 to 9P2 Gradient = + 3.05
MIW	12.00	29.89	17.89	
SS3	14.73	33.73	19.00	
SS2	13.28	33.16	19.88	
SS1	12.84	32.37	19.53	
11B1	19.73	105.43	85.70	
11C1	14.58	98.20	83.62	
PFNW	13.33	93.22	79.89	
10A1	26.41	78.18	51.77	
10G2	19.83	62.95	43.12	
10G1	18.30	59.55	41.25	
10F2	26.43	66.92	40.49	
10M2	23.25	55.21	31.96	
9J3	15.88	43.45	27.57	
lagoon	19.32			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.47 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 3/1/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/16/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/16/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.22	83.42	49.20	
SR4	31.31	82.00	50.69	
SR3	19.18	54.30	35.12	
SR1	17.88	46.40	28.52	
21R3	7.65	12.88	5.23	Meter read 44432 CF
WBE	11.29	16.87	5.58	
WBW	11.78	17.02	5.24	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.82 FEET
CCSD SANTA ROSA WELL SR4 = 50.69 FEET

SAN SIMEON CREEK WELLS				
16D1	7.53	11.36	3.83	
MW4	11.87	15.95	4.08	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.08	19.11	9.03	
9P7		20.69		Not Read
9L1	15.12	27.33	12.21	
RIW		25.41		Not Read
SS4	13.92	25.92	12.00	SS4 to 9P2 Gradient = + 2.97
MIW		29.89		Not Read
SS3	14.22	33.73	19.51	
SS2	12.87	33.16	20.29	
SS1	12.49	32.37	19.88	
11B1		105.43		Not Read
11C1	14.45	98.20	83.75	
PFNW	13.16	93.22	80.06	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.70	55.21	32.51	
9J3		43.45		Not Read
lagoon	19.97			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.89 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/16/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/1/2020

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/1/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	28.91	83.42	54.51	
SR4	26.36	82.00	55.64	
SR3	18.49	54.30	35.81	
SR1	16.87	46.40	29.53	
21R3	7.48	12.88	5.40	Meter read 44432 CF
WBE	11.11	16.87	5.76	
WBW	11.64	17.02	5.38	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.67 FEET
CCSD SANTA ROSA WELL SR4 = 55.64 FEET

SAN SIMEON CREEK WELLS				
16D1	7.07	11.36	4.29	
MW4	10.89	15.95	5.06	
MW1	10.18	42.11	31.93	
MW2	9.08	38.10	29.02	
MW3	16.30	49.56	33.26	
9M1	24.69	65.63	40.94	
9P2	7.41	19.11	11.70	
9P7	5.67	20.69	15.02	
9L1	13.70	27.33	13.63	
RIW	9.44	25.41	15.97	
SS4	12.18	25.92	13.74	SS4 to 9P2 Gradient = + 2.04
MIW	9.74	29.89	20.15	
SS3	12.42	33.73	21.31	
SS2	11.47	33.16	21.69	
SS1	11.16	32.37	21.21	
11B1	18.64	105.43	86.79	
11C1	13.45	98.20	84.75	
PFNW	12.41	93.22	80.81	
10A1	24.61	78.18	53.57	
10G2	18.77	62.95	44.18	
10G1	17.33	59.55	42.22	
10F2	25.08	66.92	41.84	
10M2	21.71	55.21	33.50	
9J3	14.12	43.45	29.33	
lagoon	19.71			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 21.40 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/1/2020

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

1/20/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/20/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R		83.42		
SR4		82.00		
SR3		54.30		
SR1		46.40		
21R3		12.88		Meter read 44063 CF
WBE		16.87		Not Read
WBW		17.02		Not Read
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				FEET
CCSD SANTA ROSA WELL SR4 =				FEET

SAN SIMEON CREEK WELLS				
16D1		11.36		Not Read
MW4		15.95		
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.67	19.11	7.44	
9P7	12.61	20.69	8.08	
9L1		27.33		Not Read
RIW		25.41		Not Read
SS4	18.06	25.92	7.86	SS4 to 9P2 Gradient = + 0.42
MIW		29.89		Not Read
SS3		33.73		Not Read
SS2		33.16		Not Read
SS1		32.37		Not Read
11B1		105.43		Not Read
11C1		98.20		Not Read
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2		55.21		Not Read
9J3		43.45		Not Read
lagoon				mitigation erosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/20/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

1/15/2021

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/15/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	34.31	83.42	49.11	
SR4	30.39	82.00	51.61	
SR3	19.71	54.30	34.59	
SR1	18.05	46.40	28.35	
21R3	6.13	12.88	6.75	Meter read 44432 CF
WBE	10.29	16.87	6.58	
WBW	10.01	17.02	7.01	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.47 FEET
CCSD SANTA ROSA WELL SR4 = 51.61 FEET

SAN SIMEON CREEK WELLS				
16D1	6.11	11.36	5.25	
MW4	9.30	15.95	6.65	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.11	19.11	8.00	
9P7		20.69		Not Read
9L1	22.30	27.33	5.03	
RIW		25.41		Not Read
SS4	17.83	25.92	8.09	SS4 to 9P2 Gradient = + 0.09
MIW		29.89		Not Read
SS3	24.43	33.73	9.30	
SS2	24.12	33.16	9.04	
SS1	23.81	32.37	8.56	
11B1		105.43		Not Read
11C1	44.10	98.20	54.10	
PFNW	40.42	93.22	52.80	
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	40.90	55.21	14.31	
9J3		43.45		Not Read
lagoon	17.17			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 8.97 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/15/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/4/2021

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.11	83.42	51.31	
SR4	29.51	82.00	52.49	
SR3	19.83	54.30	34.47	
SR1	18.12	46.40	28.28	
21R3	7.64	12.88	5.24	Meter read 44432 CF
WBE	11.47	16.87	5.40	
WBW	11.81	17.02	5.21	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.38 FEET
CCSD SANTA ROSA WELL SR4 =				52.49 FEET

SAN SIMEON CREEK WELLS				
16D1	6.28	11.36	5.08	
MW4	10.73	15.95	5.22	
MW1	20.00	42.11	22.11	
MW2	18.39	38.10	19.71	
MW3	25.50	49.56	24.06	
9M1	27.15	65.63	38.48	
9P2	11.43	19.11	7.68	
9P7	12.79	20.69	7.90	
9L1	21.85	27.33	5.48	
RIW	18.39	25.41	7.02	
SS4	17.68	25.92	8.24	SS4 to 9P2 Gradient = + 0.56
MIW	20.51	29.89	9.38	
SS3	23.93	33.73	9.80	
SS2	23.61	33.16	9.55	
SS1	23.27	32.37	9.10	
11B1	50.75	105.43	54.68	
11C1	44.60	98.20	53.60	
PFNW	40.71	93.22	52.51	
10A1	45.17	78.18	33.01	
10G2	34.16	62.95	28.79	
10G1	32.26	59.55	27.29	
10F2	40.08	66.92	26.84	
10M2	36.15	55.21	19.06	
9J3	27.27	43.45	16.18	
lagoon	18.57			mitigation erosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				9.48 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/4/2021

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015