**2026**

**CAMBRIA COMMUNITY SERVICES DISTRICT JUNE DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | | *Raw totals | | | Mitigation Both Creeks (galx1000) | | BACKWASH TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** | **AWTP** | **Santa Rosa** | **SR3 (galx1,000)** | **SR4 (gal)** |
| **1** | 0.00 | 499.00 | 0.00 | 0.00 | 0.00 | 0.00 | 499.00 | 1.53 | 2 | | | 19725 | 8014512 |
| **2** | 0.00 | 351.00 | 71.00 | 0.00 | 0.00 | 0.00 | 422.00 | 1.30 | 3 | | | | |
| **3** | 0.00 | 19.00 | 17.00 | 512.00 | 0.00 | 0.00 | 548.00 | 1.68 | 5 | | | | |
| **4** | 0.00 | 0.00 | 0.00 | 371.00 | 0.00 | 0.00 | 371.00 | 1.14 | 6 | | | | |
| **5** | 0.00 | 0.00 | 0.00 | 535.00 | 0.00 | 0.00 | 535.00 | 1.64 | 7 | | | | |
| **6** | 0.00 | 25.00 | 0.00 | 506.00 | 0.00 | 0.00 | 531.00 | 1.63 | 9 | | | | |
| **7** | 0.00 | 0.00 | 0.00 | 489.00 | 0.00 | 0.00 | 489.00 | 1.50 | 10 | | | | |
| **8** | 0.00 | 0.00 | 0.00 | 504.00 | 0.00 | 0.00 | 504.00 | 1.55 | 12 | | | | |
| **9** | 0.00 | 0.00 | 0.00 | 477.00 | 0.00 | 0.00 | 477.00 | 1.46 | 13 | | | | |
| **10** | 0.00 | 16.00 | 16.00 | 467.00 | 0.00 | 0.00 | 499.00 | 1.53 | 15 | | | | |
| **11** | 0.00 | 155.00 | 144.00 | 161.00 | 0.00 | 0.00 | 460.00 | 1.41 | 16 | | | | |
| **12** | 0.00 | 283.00 | 263.00 | 0.00 | 0.00 | 0.00 | 546.00 | 1.68 | 18 | | | | |
| **13** | 0.00 | 0.00 | 5.00 | 493.00 | 0.00 | 0.00 | 498.00 | 1.53 | 20 | | | | |
| **14** | 0.00 | 0.00 | 57.00 | 537.00 | 0.00 | 0.00 | 594.00 | 1.82 | 21 | | | | |
| **15** | 0.00 | 0.00 | 0.00 | 493.00 | 0.00 | 0.00 | 493.00 | 1.51 | 23 | | | | |
| **16** | 0.00 | 303.00 | 280.00 | 0.00 | 0.00 | 0.00 | 583.00 | 1.79 | 25 | | | | |
| **17** | 0.00 | 47.00 | 129.00 | 288.00 | 0.00 | 0.00 | 464.00 | 1.42 | 26 | | | | |
| **18** | 0.00 | 256.00 | 263.00 | 91.00 | 0.00 | 0.00 | 610.00 | 1.87 | 28 | | | | |
| **19** | 0.00 | 240.00 | 239.00 | 0.00 | 0.00 | 0.00 | 479.00 | 1.47 | 29 | | | | |
| **20** | 0.00 | 272.00 | 253.00 | 0.00 | 0.00 | 0.00 | 525.00 | 1.61 | 31 | | | | |
| **21** | 0.00 | 291.00 | 269.00 | 0.00 | 0.00 | 0.00 | 560.00 | 1.72 | 33 | | | | |
| **22** | 0.00 | 281.00 | 261.00 | 0.00 | 0.00 | 0.00 | 542.00 | 1.66 | 34 | | | | |
| **23** | 0.00 | 0.00 | 0.00 | 488.00 | 0.00 | 0.00 | 488.00 | 1.50 | 36 | | | | |
| **24** | 0.00 | 229.00 | 253.00 | 50.00 | 0.00 | 0.00 | 532.00 | 1.63 | 38 | | | | |
| **25** | 0.00 | 285.00 | 309.00 | 0.00 | 0.00 | 0.00 | 594.00 | 1.82 | 39 | | | | |
| **26** | 0.00 | 244.00 | 269.00 | 0.00 | 0.00 | 0.00 | 513.00 | 1.57 | 41 | | | | |
| **27** | 0.00 | 109.00 | 102.00 | 370.00 | 0.00 | 0.00 | 581.00 | 1.78 | 43 | | | | |
| **28** | 0.00 | 536.00 | 0.00 | 36.00 | 0.00 | 0.00 | 572.00 | 1.76 | 45 | | | | |
| **29** | 0.00 | 207.00 | 412.00 | 0.00 | 0.00 | 0.00 | 619.00 | 1.90 | 46 | | | | |
| **30** | 0.00 | 288.00 | 273.00 | 0.00 | 0.00 | 0.00 | 561.00 | 1.72 | 48 | | | | 8177372 |

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TOTALS** | **0.00** | **4936.00** | **3885.00** | **6868.00** | **0.00** | **0.00** | **15689.00** | **48.15** | | (galx1000) | 0.00 | 0.00 | (galx1000) | 0 | 162.86 |
| **Daily AVG** | 0.00 | 164.53 | 129.50 | 228.93 | 0.00 | 0.00 | 522.97 | 1.60 | | (ACRE-FEET) | **0.00** | **0.00** | (ACRE-FEET) | **0.00** | **0.50** |
| **AF** | 0.00 | 15.15 | 11.92 | 21.08 | 0.00 | 0.00 | 48.15 | | | | | | | | |
| **Peak** | | | | | | | **619.00** | | | | | | | | |

**Meter Correction Factors from Calibration done**

| | 100% | 100% | 100% | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Corrected** | **0.00** | **4936.00** | **3885.00** | **6868.00** | **0.00** | **0.00** | **15689.00** | **48.15** | (ACRE-FEET) |

| | **GROSS DIVERSION (AF)** | **NET DIVERSION (AF)** | **NET PRODUCTION (AF)** | **YTD NET PRODUCTION (AF)** |
|---|---|---|---|---|
| **San Simeon Total** | 27.07 | 27.03 | 27.07 | 203.75 |
| **Santa Rosa Total** | 21.58 | 21.58 | 21.08 | 54.32 |
| **SS & SR TOTAL** | **48.65** | **48.61** | **48.15** | **258.07** |
| **Advanced Water Treatment Plant** | | **0.00** | | |

| **SS ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 6/1/2026 | 119.00 |
| 6/30/2026 | 128.00 |
| Total Recirc (ccf) | 9.00 |
| Total Recirc (AF) | 0.02 |

| **SR ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 6/1/2026 | 109.00 |
| 6/30/2026 | 127.00 |
| Total Recirc (ccf) | 18.00 |
| Total Recirc (AF) | 0.04 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for potable consumption

**2026** **CAMBRIA COMMUNITY SERVICES DISTRICT MAY DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | | *Raw totals | | |
|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** |
| **1** | 0.00 | 210.00 | 185.00 | 0.00 | 0.00 | 0.00 | 395.00 | 1.21 | 1 |
| **2** | 0.00 | 168.00 | 100.00 | 344.00 | 0.00 | 0.00 | 612.00 | 1.88 | 3 |
| **3** | 0.00 | 91.00 | 22.00 | 257.00 | 0.00 | 0.00 | 370.00 | 1.14 | 4 |
| **4** | 0.00 | 90.00 | 0.00 | 437.00 | 0.00 | 0.00 | 527.00 | 1.62 | 6 |
| **5** | 0.00 | 124.00 | 10.00 | 353.00 | 0.00 | 0.00 | 487.00 | 1.49 | 7 |
| **6** | 0.00 | 230.00 | 206.00 | 18.00 | 0.00 | 0.00 | 454.00 | 1.39 | 9 |
| **7** | 0.00 | 371.00 | 189.00 | 3.00 | 0.00 | 0.00 | 563.00 | 1.73 | 10 |
| **8** | 0.00 | 201.00 | 155.00 | 0.00 | 0.00 | 0.00 | 356.00 | 1.09 | 12 |
| **9** | 0.00 | 220.00 | 168.00 | 0.00 | 0.00 | 0.00 | 388.00 | 1.19 | 13 |
| **10** | 0.00 | 244.00 | 217.00 | 0.00 | 0.00 | 0.00 | 461.00 | 1.41 | 14 |
| **11** | 0.00 | 295.00 | 263.00 | 0.00 | 0.00 | 0.00 | 558.00 | 1.71 | 16 |
| **12** | 0.00 | 274.00 | 171.00 | 0.00 | 0.00 | 0.00 | 445.00 | 1.37 | 17 |
| **13** | 0.00 | 193.00 | 168.00 | 77.00 | 0.00 | 0.00 | 438.00 | 1.34 | 19 |
| **14** | 0.00 | 76.00 | 0.00 | 417.00 | 0.00 | 0.00 | 493.00 | 1.51 | 20 |
| **15** | 0.00 | 0.00 | 0.00 | 531.00 | 0.00 | 0.00 | 531.00 | 1.63 | 22 |
| **16** | 0.00 | 0.00 | 0.00 | 465.00 | 0.00 | 0.00 | 465.00 | 1.43 | 23 |
| **17** | 0.00 | 28.00 | 25.00 | 548.00 | 0.00 | 0.00 | 601.00 | 1.84 | 25 |
| **18** | 0.00 | 0.00 | 0.00 | 473.00 | 0.00 | 0.00 | 473.00 | 1.45 | 26 |
| **19** | 0.00 | 0.00 | 0.00 | 533.00 | 0.00 | 0.00 | 533.00 | 1.64 | 28 |
| **20** | 0.00 | 216.00 | 186.00 | 0.00 | 0.00 | 0.00 | 402.00 | 1.23 | 29 |
| **21** | 0.00 | 0.00 | 0.00 | 513.00 | 0.00 | 0.00 | 513.00 | 1.57 | 31 |
| **22** | 0.00 | 12.00 | 0.00 | 529.00 | 0.00 | 0.00 | 541.00 | 1.66 | 33 |
| **23** | 0.00 | 0.00 | 0.00 | 482.00 | 1.00 | 0.00 | 483.00 | 1.48 | 34 |
| **24** | 0.00 | 0.00 | 0.00 | 519.00 | 0.00 | 0.00 | 519.00 | 1.59 | 36 |
| **25** | 0.00 | 78.00 | 0.00 | 495.00 | 0.00 | 0.00 | 573.00 | 1.76 | 37 |
| **26** | 0.00 | 88.00 | 23.00 | 498.00 | 0.00 | 0.00 | 609.00 | 1.87 | 39 |
| **27** | 0.00 | 26.00 | 79.00 | 399.00 | 0.00 | 0.00 | 504.00 | 1.55 | 41 |
| **28** | 0.00 | 0.00 | 0.00 | 511.00 | 0.00 | 0.00 | 511.00 | 1.57 | 42 |
| **29** | 0.00 | 203.00 | 158.00 | 129.00 | 0.00 | 0.00 | 490.00 | 1.50 | 44 |
| **30** | 0.00 | 327.00 | 38.00 | 0.00 | 0.00 | 0.00 | 365.00 | 1.12 | 45 |
| **31** | 0.00 | 504.00 | 0.00 | 0.00 | 0.00 | 0.00 | 504.00 | 1.55 | 47 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **TOTALS** | **0.00** | **4269.00** | **2363.00** | **8531.00** | **1.00** | **0.00** | **15164.00** | **46.54** |
| **Daily AVG** | 0.00 | 137.71 | 76.23 | 275.19 | 0.03 | 0.00 | 489.16 | 1.50 |
| **AF** | 0.00 | 13.10 | 7.25 | 26.18 | 0.00 | 0.00 | 46.54 | |
| **Peak** | | | | | | | **612.00** | |

**Meter Correction Factors from Calibration done**

| | 100% | 100% | 100% | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Corrected** | **0.00** | **4269.00** | **2363.00** | **8531.00** | **1.00** | **0.00** | **15164.00** | **46.54** |

(ACRE-FEET)

**Mitigation Both Creeks (galx1000)**

| **AWTP** | **Santa Rosa** | |
|---|---|---|
| | | (galx1000) |
| **0.00** | **0.00** | (ACRE-FEET) |

**BACKWASH TOTAL**

| **SR3 (galx1,000)** | **SR4 (gal)** |
|---|---|
| 19725 | 7771492.00 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 19725.00 | 8014512.00 |

| (galx1000) | 0.00 | 243.02 |
|---|---|---|
| (ACRE-FEET) | **0.00** | **0.75** |

| | GROSS DIVERSION (AF) | NET DIVERSION (AF) | NET PRODUCTION (AF) | YTD NET PRODUCTION (AF) |
|---|---|---|---|---|
| **San Simeon Total** | 20.35 | 19.53 | 20.35 | 176.68 |
| **Santa Rosa Total** | 26.93 | 26.93 | 26.18 | 33.25 |
| **SS & SR TOTAL** | **47.28** | **46.46** | **46.53** | **209.92** |
| **Advanced Water Treatment Plant** | | **0.00** | | |

| **SS ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 4/30/2026 | 111.00 |
| 5/31/2026 | 119.00 |
| Total Recirc (ccf) | 8.00 |
| Total Recirc (AF) | 0.02 |

| **SR ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 4/30/2026 | 93.00 |
| 5/31/2026 | 109.00 |
| Total Recirc (ccf) | 16.00 |
| Total Recirc (AF) | 0.04 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for consumption

**2026** **CAMBRIA COMMUNITY SERVICES DISTRICT APRIL DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | | *Raw totals | | | Mitigation Both Creeks (galx1000) | | BACKWASH TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** | **AWTP** | **Santa Rosa** | **SR3 (galx1,000)** | **SR4 (gal)** |
| **1** | 0.00 | 246.00 | 210.00 | 0.00 | 0.00 | 0.00 | 456.00 | 1.40 | 1 | | | 19725 | 7739073.00 |
| **2** | 0.00 | 203.00 | 179.00 | 0.00 | 0.00 | 0.00 | 382.00 | 1.17 | 3 | | | | |
| **3** | 0.00 | 336.00 | 280.00 | 0.00 | 0.00 | 0.00 | 616.00 | 1.89 | 4 | | | | |
| **4** | 0.00 | 301.00 | 241.00 | 0.00 | 0.00 | 0.00 | 542.00 | 1.66 | 6 | | | | |
| **5** | 0.00 | 271.00 | 236.00 | 0.00 | 0.00 | 0.00 | 507.00 | 1.56 | 8 | | | | |
| **6** | 0.00 | 301.00 | 264.00 | 0.00 | 0.00 | 0.00 | 565.00 | 1.73 | 9 | | | | |
| **7** | 0.00 | 277.00 | 242.00 | 0.00 | 0.00 | 0.00 | 519.00 | 1.59 | 11 | | | | |
| **8** | 0.00 | 238.00 | 187.00 | 115.00 | 0.00 | 0.00 | 540.00 | 1.66 | 13 | | | | |
| **9** | 0.00 | 339.00 | 115.00 | 0.00 | 0.00 | 0.00 | 454.00 | 1.39 | 14 | | | | |
| **10** | 0.00 | 275.00 | 243.00 | 0.00 | 0.00 | 0.00 | 518.00 | 1.59 | 16 | | | | |
| **11** | 0.00 | 164.00 | 144.00 | 115.00 | 0.00 | 0.00 | 423.00 | 1.30 | 17 | | | | |
| **12** | 0.00 | 194.00 | 157.00 | 0.00 | 0.00 | 0.00 | 351.00 | 1.08 | 18 | | | | |
| **13** | 0.00 | 271.00 | 237.00 | 0.00 | 0.00 | 0.00 | 508.00 | 1.56 | 20 | | | | |
| **14** | 0.00 | 289.00 | 250.00 | 0.00 | 0.00 | 0.00 | 539.00 | 1.65 | 21 | | | | |
| **15** | 0.00 | 161.00 | 181.00 | 0.00 | 0.00 | 0.00 | 342.00 | 1.05 | 22 | | | | |
| **16** | 0.00 | 251.00 | 226.00 | 0.00 | 0.00 | 0.00 | 477.00 | 1.46 | 24 | | | | |
| **17** | 0.00 | 239.00 | 186.00 | 21.00 | 0.00 | 0.00 | 446.00 | 1.37 | 25 | | | | |
| **18** | 0.00 | 189.00 | 163.00 | 127.00 | 0.00 | 0.00 | 479.00 | 1.47 | 27 | | | | |
| **19** | 0.00 | 330.00 | 129.00 | 0.00 | 0.00 | 0.00 | 459.00 | 1.41 | 28 | | | | |
| **20** | 0.00 | 242.00 | 207.00 | 0.00 | 0.00 | 0.00 | 449.00 | 1.38 | 29 | | | | |
| **21** | 0.00 | 187.00 | 162.00 | 154.00 | 0.00 | 0.00 | 503.00 | 1.54 | 31 | | | | |
| **22** | 0.00 | 63.00 | 57.00 | 224.00 | 0.00 | 0.00 | 344.00 | 1.06 | 32 | | | | |
| **23** | 0.00 | 182.00 | 159.00 | 159.00 | 0.00 | 0.00 | 500.00 | 1.53 | 34 | | | | |
| **24** | 0.00 | 220.00 | 190.00 | 0.00 | 0.00 | 0.00 | 410.00 | 1.26 | 35 | | | | |
| **25** | 0.00 | 272.00 | 239.00 | 0.00 | 0.00 | 0.00 | 511.00 | 1.57 | 36 | | | | |
| **26** | 0.00 | 221.00 | 170.00 | 0.00 | 0.00 | 0.00 | 391.00 | 1.20 | 38 | | | | |
| **27** | 0.00 | 253.00 | 226.00 | 0.00 | 0.00 | 0.00 | 479.00 | 1.47 | 39 | | | | |
| **28** | 0.00 | 213.00 | 191.00 | 0.00 | 0.00 | 0.00 | 404.00 | 1.24 | 40 | | | | |
| **29** | 0.00 | 253.00 | 219.00 | 0.00 | 0.00 | 0.00 | 472.00 | 1.45 | 42 | | | | |
| **30** | 0.00 | 244.00 | 212.00 | 0.00 | 0.00 | 0.00 | 456.00 | 1.40 | 43 | | | 19725 | 7771492.00 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TOTALS** | **0.00** | **7225.00** | **5902.00** | **915.00** | **0.00** | **0.00** | **14042.00** | **43.09** | (galx1000) | 0.00 | 0.00 | (galx1000) | 0.00 | 32.42 |
| **Daily AVG** | 0.00 | 240.83 | 196.73 | 30.50 | 0.00 | 0.00 | 468.07 | 1.44 | (ACRE-FEET) | **0.00** | **0.00** | (ACRE-FEET) | **0.00** | **0.10** |
| **AF** | 0.00 | 22.17 | 18.11 | 2.81 | 0.00 | 0.00 | 43.09 | | | | | | | |
| **Peak** | | | | | | | **616.00** | | | | | | | |

**Meter Correction Factors from Calibration done**

| | 100% | 100% | 100% | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Corrected** | **0.00** | **7225.00** | **5902.00** | **915.00** | **0.00** | **0.00** | **14042.00** | **43.09** | (ACRE-FEET) |

| | **GROSS DIVERSION (AF)** | **NET DIVERSION (AF)** | **NET PRODUCTION (AF)** | **YTD NET PRODUCTION (AF)** |
|---|---|---|---|---|
| **San Simeon Total** | 40.29 | 39.94 | 40.29 | 156.33 |
| **Santa Rosa Total** | 2.91 | 2.91 | 2.81 | 7.07 |
| **SS & SR TOTAL** | **43.19** | **42.85** | **43.09** | **163.39** |
| **Advanced Water Treatment Plant** | | **0.00** | | |

| **SS ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 4/1/2026 | 98.00 |
| 4/30/2026 | 111.00 |
| Total Recirc (ccf) | 13.00 |
| Total Recirc (AF) | 0.03 |

| **SR ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 4/1/2026 | 74.00 |
| 4/30/2026 | 93.00 |
| Total Recirc (ccf) | 19.00 |
| Total Recirc (AF) | 0.04 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for potable consumption

**2026** **CAMBRIA COMMUNITY SERVICES DISTRICT MARCH DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | | *Raw totals | | | Mitigation Both Creeks (galx1000) | | BACKWASH TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** | **AWTP** | **Santa Rosa** | **SR3 (galx1,000)** | **SR4 (gal)** |
| **1** | 0.00 | 254.00 | 200.00 | 0.00 | 0.00 | 0.00 | 454.00 | 1.39 | 1 | | | 19725.00 | 7734101.00 |
| **2** | 0.00 | 219.00 | 189.00 | 0.00 | 0.00 | 0.00 | 408.00 | 1.25 | 3 | | | | |
| **3** | 0.00 | 236.00 | 215.00 | 0.00 | 0.00 | 0.00 | 451.00 | 1.38 | 4 | | | | |
| **4** | 0.00 | 167.00 | 176.00 | 15.00 | 0.00 | 0.00 | 358.00 | 1.10 | 5 | | | | |
| **5** | 0.00 | 238.00 | 175.00 | 0.00 | 0.00 | 0.00 | 413.00 | 1.27 | 6 | | | | |
| **6** | 0.00 | 228.00 | 200.00 | 0.00 | 0.00 | 0.00 | 428.00 | 1.31 | 8 | | | | |
| **7** | 0.00 | 267.00 | 230.00 | 0.00 | 0.00 | 0.00 | 497.00 | 1.53 | 9 | | | | |
| **8** | 0.00 | 204.00 | 173.00 | 0.00 | 0.00 | 0.00 | 377.00 | 1.16 | 10 | | | | |
| **9** | 0.00 | 282.00 | 252.00 | 0.00 | 0.00 | 0.00 | 534.00 | 1.64 | 12 | | | | |
| **10** | 0.00 | 276.00 | 239.00 | 0.00 | 0.00 | 0.00 | 515.00 | 1.58 | 14 | | | | |
| **11** | 0.00 | 186.00 | 163.00 | 0.00 | 0.00 | 0.00 | 349.00 | 1.07 | 15 | | | | |
| **12** | 0.00 | 236.00 | 207.00 | 0.00 | 0.00 | 0.00 | 443.00 | 1.36 | 16 | | | | |
| **13** | 0.00 | 250.00 | 203.00 | 0.00 | 0.00 | 0.00 | 453.00 | 1.39 | 17 | | | | |
| **14** | 0.00 | 248.00 | 212.00 | 0.00 | 0.00 | 0.00 | 460.00 | 1.41 | 19 | | | | |
| **15** | 0.00 | 266.00 | 202.00 | 0.00 | 0.00 | 0.00 | 468.00 | 1.44 | 20 | | | | |
| **16** | 0.00 | 506.00 | 0.00 | 0.00 | 0.00 | 0.00 | 506.00 | 1.55 | 22 | | | | |
| **17** | 0.00 | 273.00 | 222.00 | 0.00 | 0.00 | 0.00 | 495.00 | 1.52 | 23 | | | | |
| **18** | 0.00 | 271.00 | 231.00 | 0.00 | 0.00 | 0.00 | 502.00 | 1.54 | 25 | | | | |
| **19** | 0.00 | 254.00 | 220.00 | 0.00 | 0.00 | 0.00 | 474.00 | 1.45 | 26 | | | | |
| **20** | 0.00 | 254.00 | 207.00 | 0.00 | 0.00 | 0.00 | 461.00 | 1.41 | 28 | | | | |
| **21** | 0.00 | 327.00 | 199.00 | 0.00 | 0.00 | 0.00 | 526.00 | 1.61 | 29 | | | | |
| **22** | 0.00 | 363.00 | 204.00 | 0.00 | 0.00 | 0.00 | 567.00 | 1.74 | 31 | | | | |
| **23** | 0.00 | 211.00 | 187.00 | 0.00 | 0.00 | 0.00 | 398.00 | 1.22 | 32 | | | | |
| **24** | 0.00 | 312.00 | 274.00 | 0.00 | 0.00 | 0.00 | 586.00 | 1.80 | 34 | | | | |
| **25** | 0.00 | 317.00 | 80.00 | 0.00 | 0.00 | 0.00 | 397.00 | 1.22 | 35 | | | | |
| **26** | 0.00 | 281.00 | 193.00 | 0.00 | 0.00 | 0.00 | 474.00 | 1.45 | 37 | | | | |
| **27** | 0.00 | 315.00 | 283.00 | 0.00 | 0.00 | 0.00 | 598.00 | 1.84 | 39 | | | | |
| **28** | 0.00 | 196.00 | 169.00 | 0.00 | 0.00 | 0.00 | 365.00 | 1.12 | 40 | | | | |
| **29** | 0.00 | 274.00 | 220.00 | 0.00 | 0.00 | 0.00 | 494.00 | 1.52 | 41 | | | | |
| **30** | 0.00 | 247.00 | 214.00 | 0.00 | 0.00 | 0.00 | 461.00 | 1.41 | 43 | | | 19725.00 | 7739073.00 |
| **31** | 0.00 | 290.00 | 237.00 | 0.00 | 0.00 | 0.00 | 527.00 | 1.62 | 44 | | | | |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TOTALS** | **0.00** | **8248.00** | **6176.00** | **15.00** | **0.00** | **0.00** | **14439.00** | **44.31** | (galx1000) | 0.00 | 0.00 | (galx1000) | 0 | 0 |
| **Daily AVG** | 0.00 | 266.06 | 199.23 | 0.48 | 0.00 | 0.00 | 465.77 | 1.43 | (ACRE-FEET) | **0.00** | **0.00** | (ACRE-FEET) | **0.00** | **0.00** |
| **AF** | 0.00 | 25.31 | 18.95 | 0.05 | 0.00 | 0.00 | 44.31 | | | | | | | |
| **Peak** | | | | | | | **598.00** | | | | | | | |

**Meter Correction Factors from Calibration done**

| | 100% | 100% | 100% | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Corrected** | **0.00** | **8248.00** | **6176.00** | **15.00** | **0.00** | **0.00** | **14439.00** | **44.31** | (ACRE-FEET) |

| | **GROSS DIVERSION (AF)** | **NET DIVERSION (AF)** | **NET PRODUCTION (AF)** | **YTD NET PRODUCTION (AF)** |
|---|---|---|---|---|
| **San Simeon Total** | 44.27 | 44.27 | 44.27 | 116.04 |
| **Santa Rosa Total** | 0.05 | 0.05 | 0.05 | 4.26 |
| **SS & SR TOTAL** | **44.31** | **44.31** | **44.31** | **120.30** |
| **Advanced Water Treatment Plant** | | **0.00** | | |

| **SS ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 3/1/2026 | 84.00 |
| 3/31/2026 | 98.00 |
| Total Recirc (ccf) | 14.00 |
| Total Recirc (AF) | 0.03 |

| **SR ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 3/1/2026 | 57.00 |
| 3/31/2026 | 74.00 |
| Total Recirc (ccf) | 17.00 |
| Total Recirc (AF) | 0.04 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for consumption

**2026** **CAMBRIA COMMUNITY SERVICES DISTRICT FEBRUARY DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | *Raw totals | | | Mitigation Both Creeks (galx1000) | | BACKWASH TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** | **AWTP** | **Santa Rosa** | **SR3 (galx1,000)** | **SR4 (gal)** |
| **1** | 0.00 | 216.00 | 179.00 | 0.00 | 0.00 | 0.00 | 395.00 | 1.21 | 1 | | | 19725.00 | 7704296.00 |
| **2** | 0.00 | 221.00 | 191.00 | 0.00 | 0.00 | 0.00 | 412.00 | 1.26 | 2 | | | | |
| **3** | 0.00 | 251.00 | 226.00 | 0.00 | 0.00 | 0.00 | 477.00 | 1.46 | 4 | | | | |
| **4** | 0.00 | 158.00 | 171.00 | 17.00 | 0.00 | 0.00 | 346.00 | 1.06 | 5 | | | | |
| **5** | 0.00 | 201.00 | 178.00 | 0.00 | 0.00 | 0.00 | 379.00 | 1.16 | 6 | | | | |
| **6** | 0.00 | 260.00 | 225.00 | 0.00 | 0.00 | 0.00 | 485.00 | 1.49 | 8 | | | | |
| **7** | 0.00 | 211.00 | 162.00 | 0.00 | 0.00 | 0.00 | 373.00 | 1.14 | 9 | | | | |
| **8** | 0.00 | 238.00 | 205.00 | 0.00 | 0.00 | 0.00 | 443.00 | 1.36 | 10 | | | | |
| **9** | 0.00 | 238.00 | 205.00 | 0.00 | 0.00 | 0.00 | 443.00 | 1.36 | 12 | | | | |
| **10** | 0.00 | 220.00 | 191.00 | 0.00 | 0.00 | 0.00 | 411.00 | 1.26 | 13 | | | | |
| **11** | 0.00 | 239.00 | 190.00 | 0.00 | 0.00 | 0.00 | 429.00 | 1.32 | 14 | | | | |
| **12** | 0.00 | 242.00 | 208.00 | 0.00 | 0.00 | 0.00 | 450.00 | 1.38 | 15 | | | | |
| **13** | 0.00 | 167.00 | 115.00 | 0.00 | 0.00 | 0.00 | 282.00 | 0.87 | 16 | | | | |
| **14** | 0.00 | 147.00 | 137.00 | 103.00 | 0.00 | 0.00 | 387.00 | 1.19 | 18 | | | | |
| **15** | 0.00 | 185.00 | 200.00 | 103.00 | 0.00 | 0.00 | 488.00 | 1.50 | 19 | | | | |
| **16** | 0.00 | 222.00 | 233.00 | 0.00 | 0.00 | 0.00 | 455.00 | 1.40 | 20 | | | | |
| **17** | 0.00 | 182.00 | 220.00 | 0.00 | 0.00 | 0.00 | 402.00 | 1.23 | 22 | | | | |
| **18** | 0.00 | 199.00 | 193.00 | 0.00 | 0.00 | 0.00 | 392.00 | 1.20 | 23 | | | | |
| **19** | 0.00 | 207.00 | 195.00 | 0.00 | 0.00 | 0.00 | 402.00 | 1.23 | 24 | | | | |
| **20** | 0.00 | 21.00 | 19.00 | 419.00 | 0.00 | 0.00 | 459.00 | 1.41 | 26 | | | | |
| **21** | 0.00 | 168.00 | 188.00 | 38.00 | 0.00 | 0.00 | 394.00 | 1.21 | 27 | | | | |
| **22** | 0.00 | 53.00 | 333.00 | 0.00 | 0.00 | 0.00 | 386.00 | 1.18 | 28 | | | | |
| **23** | 0.00 | 277.00 | 257.00 | 0.00 | 0.00 | 0.00 | 534.00 | 1.64 | 30 | | | | |
| **24** | 0.00 | 159.00 | 168.00 | 0.00 | 0.00 | 0.00 | 327.00 | 1.00 | 31 | | | | |
| **25** | 0.00 | 138.00 | 131.00 | 0.00 | 0.00 | 0.00 | 269.00 | 0.83 | 31 | | | | |
| **26** | 0.00 | 217.00 | 203.00 | 0.00 | 0.00 | 0.00 | 420.00 | 1.29 | 33 | | | | |
| **27** | 0.00 | 260.00 | 222.00 | 0.00 | 0.00 | 0.00 | 482.00 | 1.48 | 34 | | | | |
| **28** | 0.00 | 223.00 | 170.00 | 0.00 | 0.00 | 0.00 | 393.00 | 1.21 | 35 | | | 19725.00 | 7734101.00 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TOTALS** | **0.00** | **5520.00** | **5315.00** | **680.00** | **0.00** | **0.00** | **11515.00** | **35.34** | (galx1000) | 0.00 | 0.00 | (galx1000) | 0.00 | 29.81 |
| **Daily AVG** | 0.00 | 197.14 | 189.82 | 24.29 | 0.00 | 0.00 | 411.25 | 1.26 | (ACRE-FEET) | **0.00** | **0.00** | (ACRE-FEET) | **0.00** | **0.00** |
| **AF** | 0.00 | 16.94 | 16.31 | 2.09 | 0.00 | 0.00 | 35.34 | | | | | | | |
| **Peak** | | | | | | | **534.00** | | | | | | | |

**Meter Correction Factors from Calibration done**

| | 100% | 100% | 100% | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Corrected** | **0.00** | **5520.00** | **5315.00** | **680.00** | **0.00** | **0.00** | **11515.00** | **35.34** | (ACRE-FEET) |

| | **GROSS DIVERSION (AF)** | **NET DIVERSION (AF)** |
|---|---|---|
| **San Simeon Total** | 33.25 | 32.96 |
| **Santa Rosa Total** | 2.09 | 2.09 |
| **SS & SR TOTAL** | **35.34** | **35.05** |
| **Advanced Water Treatment Plant** | | **0.00** |

| **NET PRODUCTION (AF)** | **YTD NET PRODUCTION (AF)** |
|---|---|
| 33.22 | 71.77 |
| 2.09 | 4.21 |
| **35.31** | **75.99** |

| **SS ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 2/1/2026 | 72.00 |
| 2/28/2026 | 84.00 |
| Total Recirc (ccf) | 12.00 |
| Total Recirc (AF) | 0.03 |

| **SR ANALYZER METER** | |
|---|---|
| **DATE** | **READ** |
| 2/1/2026 | 44.00 |
| 2/28/2026 | 57.00 |
| Total Recirc (ccf) | 13.00 |
| Total Recirc (AF) | 0.03 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for potable consumption

**2026** **CAMBRIA COMMUNITY SERVICES DISTRICT JANUARY DIVERSION**

| Production Wells | WELLS (galx1000) | | | | | | *Raw totals | | | Mitigation Both Creeks (galx1000) | | BACKWASH TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DAY OF MONTH** | **SS #1** | **SS #2** | **SS #3** | **SR4** | **SR1** | **SR3*** | **ALL WELLS TOTAL (galx1000)** | **Daily Pumpage (AF)** | **Month to Date (AF)** | **AWTP** | **Santa Rosa** | **SR3 (galx1,000)** | **SR4 (gal)** |
| **1** | 0.00 | 76.00 | 68.00 | 352.00 | 0.00 | 0.00 | 496.00 | 1.52 | 2 | | | 19725.00 | 7675596.00 |
| **2** | 0.00 | 163.00 | 151.00 | 120.00 | 0.00 | 0.00 | 434.00 | 1.33 | 3 | | | | |
| **3** | 0.00 | 247.00 | 224.00 | 0.00 | 0.00 | 0.00 | 471.00 | 1.45 | 4 | | | | |
| **4** | 0.00 | 212.00 | 201.00 | 0.00 | 0.00 | 0.00 | 413.00 | 1.27 | 6 | | | | |
| **5** | 0.00 | 211.00 | 201.00 | 0.00 | 0.00 | 0.00 | 412.00 | 1.26 | 7 | | | | |
| **6** | 0.00 | 236.00 | 223.00 | 0.00 | 0.00 | 0.00 | 459.00 | 1.41 | 8 | | | | |
| **7** | 0.00 | 182.00 | 210.00 | 73.00 | 0.00 | 0.00 | 465.00 | 1.43 | 10 | | | | |
| **8** | 0.00 | 360.00 | 90.00 | 0.00 | 0.00 | 0.00 | 450.00 | 1.38 | 11 | | | | |
| **9** | 0.00 | 439.00 | 0.00 | 0.00 | 0.00 | 0.00 | 439.00 | 1.35 | 12 | | | | |
| **10** | 0.00 | 510.00 | 0.00 | 0.00 | 0.00 | 0.00 | 510.00 | 1.57 | 14 | | | | |
| **11** | 0.00 | 506.00 | 0.00 | 0.00 | 0.00 | 0.00 | 506.00 | 1.55 | 16 | | | | |
| **12** | 0.00 | 393.00 | 0.00 | 0.00 | 0.00 | 0.00 | 393.00 | 1.21 | 17 | | | | |
| **13** | 0.00 | 272.00 | 139.00 | 0.00 | 0.00 | 0.00 | 411.00 | 1.26 | 18 | | | | |
| **14** | 0.00 | 187.00 | 170.00 | 0.00 | 0.00 | 0.00 | 357.00 | 1.10 | 19 | | | | |
| **15** | 0.00 | 167.00 | 181.00 | 0.00 | 0.00 | 0.00 | 348.00 | 1.07 | 20 | | | | |
| **16** | 0.00 | 229.00 | 225.00 | 0.00 | 0.00 | 0.00 | 454.00 | 1.39 | 22 | | | | |
| **17** | 0.00 | 157.00 | 212.00 | 0.00 | 0.00 | 0.00 | 369.00 | 1.13 | 23 | | | | |
| **18** | 0.00 | 221.00 | 261.00 | 0.00 | 0.00 | 0.00 | 482.00 | 1.48 | 24 | | | | |
| **19** | 0.00 | 243.00 | 244.00 | 0.00 | 0.00 | 0.00 | 487.00 | 1.49 | 26 | | | | |
| **20** | 0.00 | 213.00 | 212.00 | 0.00 | 0.00 | 0.00 | 425.00 | 1.30 | 27 | | | | |
| **21** | 0.00 | 262.00 | 158.00 | 0.00 | 0.00 | 0.00 | 420.00 | 1.29 | 28 | | | | |
| **22** | 0.00 | 169.00 | 177.00 | 147.00 | 0.00 | 0.00 | 493.00 | 1.51 | 30 | | | | |
| **23** | 0.00 | 146.00 | 144.00 | 0.00 | 0.00 | 0.00 | 290.00 | 0.89 | 31 | | | | |
| **24** | 0.00 | 246.00 | 189.00 | 0.00 | 0.00 | 0.00 | 435.00 | 1.33 | 32 | | | | |
| **25** | 0.00 | 238.00 | 198.00 | 0.00 | 0.00 | 0.00 | 436.00 | 1.34 | 33 | | | | |
| **26** | 0.00 | 209.00 | 160.00 | 0.00 | 0.00 | 0.00 | 369.00 | 1.13 | 34 | | | | |
| **27** | 0.00 | 188.00 | 165.00 | 0.00 | 0.00 | 0.00 | 353.00 | 1.08 | 36 | | | | |
| **28** | 0.00 | 203.00 | 178.00 | 0.00 | 0.00 | 0.00 | 381.00 | 1.17 | 37 | | | | |
| **29** | 0.00 | 226.00 | 179.00 | 0.00 | 0.00 | 0.00 | 405.00 | 1.24 | 38 | | | | |
| **30** | 0.00 | 224.00 | 186.00 | 0.00 | 0.00 | 0.00 | 410.00 | 1.26 | 39 | | | | |
| **31** | 0.00 | 262.00 | 230.00 | 0.00 | 0.00 | 0.00 | 492.00 | 1.51 | 41 | | | 19725.00 | 7704296.00 |
| **TOTALS** | **0.00** | **7597.00** | **4976.00** | **692.00** | **0.00** | **0.00** | **13265.00** | **40.71** | | (galx1000) | 0.00 | 0.00 | (galx1000) | 0.00 | 28.70 |
| **Daily AVG** | 0.00 | 245.06 | 160.52 | 22.32 | 0.00 | 0.00 | 427.90 | 1.31 | | (ACRE-FEET) | **0.00** | **0.00** | (ACRE-FEET) | **0.00** | **0.09** |
| **AF** | 0.00 | 23.31 | 15.27 | 2.12 | 0.00 | 0.00 | 40.71 | | | | | | | | |
| **Peak** | | | | | | | **510.00** | | | | | | | | |
| | 100% | 100% | 100% | | | | | | | | | | | | |
| **Corrected** | **0.00** | **7597.00** | **4976.00** | **692.00** | **0.00** | **0.00** | **13265.00** | **40.71** | (ACRE-FEET) | | | | | | |

**Meter Correction Factors from Calibration done**

| | GROSS DIVERSION (AF) | NET DIVERSION (AF) | NET PRODUCTION (AF) | YTD NET PRODUCTION (AF) |
|---|---|---|---|---|
| **San Simeon Total** | 38.59 | 38.37 | 38.55 | 38.55 |
| **Santa Rosa Total** | 2.21 | 2.21 | 2.12 | 2.12 |
| **SS & SR TOTAL** | **40.80** | **40.58** | **40.67** | **40.67** |
| **Advanced Water Treatment Plant** | | **0.00** | | |

| SS ANALYZER METER | |
|---|---|
| **DATE** | **READ** |
| 1/1/2025 | 57 |
| 1/31/2025 | 72 |
| Total Recirc (ccf) | 15 |
| Total Recirc (AF) | 0.03 |

| SR ANALYZER METER | |
|---|---|
| **DATE** | **READ** |
| 1/1/2025 | 23 |
| 1/31/2025 | 44 |
| Total Recirc (ccf) | 21 |
| Total Recirc (AF) | 0.05 |

**Diversion:** Total volume diverted from creek underflow storage (gross); Total volume diverted under the CCSD's licenses (net)
**Production:** Total volume delivered to consumers for consumption