


**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-8
Simulated Tracer Extent at 90 Days


This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-9
Simulated Tracer Extent at 120 Days

This page intentionally left blank.




Note: Color fill area represents 10% of the injected tracer concentration.

Cambria Emergency Water Supply Project TO1: Geo-Hydrological Model

Figure 6-10
Simulated Tracer Extent at 150 Days


This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-11
Simulated Tracer Extent at 180 Days

This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-12
Simulated Tracer Extent at 210 Days


This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-13
Simulated Water Levels After One Year of Operation


This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

Figure 6-14
Simulated Tracer Breakthrough at wells SS1 and SS2


This page intentionally left blank.



Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model

Figure 6-1

This page intentionally left blank.



Cambria Emergency Water Supply Project


TO1: Geo-Hydrological Model

Simulated Basin Storage Depletion and Ocean Inflows and Outflows

Figure 6-16




This page intentionally left blank.



**Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model**

This page intentionally left blank.



Cambria Emergency Water Supply Project
TO1: Geo-Hydrological Model

Figure 6-18
Simulated TDS at Brackish Extraction Well



This page intentionally left blank.

Section 7

References

- Hall, C. A., Jr.; Ernst, W. G.; Prior, S. W.; Wiese, J. W., 1979, *Geologic map of the San Luis Obispo-San Simeon Region, California*, US Geological Survey, Miscellaneous Investigations Series Map I-1097.
- Harbaugh, Arlen W.; Banta, Edward R.; Hill, Mary C.; McDonald, Michael G., 2000 *MODFLOW-2000 The U.S. Geological Survey Modular Ground-Water Model - User Guide to Modularization Concepts and the Ground-Water Flow Process*, USGS Open-File Report: 2000-92.
- Langevin, C.D., Shoemaker, W.B., and Guo, Weixing, 2003, *MODFLOW-2000, the U.S. Geological Survey Modular Ground-Water Model—Documentation of the SEAWAT-2000 Version with the Variable-Density Flow Process (VDF) and the Integrated MT3DMS Transport Process (IMT)*: U.S. Geological Survey Open-File Report 03-426, 43 p.
- Yates, Eugene B.; Van Konyenburg, Kathryn M., 1998, *Hydrogeology, Water Quality, Water Budgets, and Simulated Responses to Hydrologic Changes in Santa Rosa and San Simeon Creek Ground-Water Basins, San Luis Obispo County, California*, U S Geological Survey, Water Resources Investigations Report 98-4061.
- Yates, Eugene B., 2007, *Water Master Plan EIR: Draft Description of Groundwater Model and Simulation Results*, unpublished technical memorandum from Gus Yates to Bob Gresens, May 26, 2007.
- Zheng, Chunmiao, and P. Patrick Wang, 1999, *MT3DMS, A Modular Three-Dimensional Multi-Species Transport Model for Simulation of Advection, Dispersion and Chemical Reactions of Contaminants in Groundwater Systems*; documentation and user's guide, U.S. Army Engineer Research and Development Center Contract Report SERDP-99-1, Vicksburg, MS, 202 p.

This page intentionally left blank.