

9/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 9/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	--	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	39.88	83.42	43.54	
SR4	37.00	82.00	45.00	
SR3	21.31	54.30	32.99	
SR1	18.90	46.40	27.50	
21R3	9.52	12.88	3.36	Meter read 46362 CF
WBE	13.08	16.87	3.79	
WBW	13.58	17.02	3.44	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 30.25 FEET
CCSD SANTA ROSA WELL SR4 = 45.00 FEET

SAN SIMEON CREEK WELLS

16D1	8.30	11.36	3.06	
MW4	12.69	15.95	3.26	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.98	19.11	7.13	
9P7		20.69		Not Read
9L1	20.76	27.33	6.57	
RIW		25.41		Not Read
SS4	17.42	25.92	8.50	SS4 to 9P2 Gradient = + 1.37
MIW		29.89		Not Read
SS3	21.72	33.73	12.01	
SS2	21.27	33.16	11.89	
SS1	20.83	32.37	11.54	
11B1		105.43		Not Read
11C1	41.21	98.20	56.99	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	33.85	55.21	21.36	
9J3		43.45		Not Read
lagoon	20.45			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 11.81 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 9/15/2022

Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

9/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 9/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.60	83.42	47.82	
SR4	32.69	82.00	49.31	
SR3	21.11	54.30	33.19	
SR1	18.99	46.40	27.41	
21R3	9.84	12.88	3.04	Meter read 46341 CF
WBE	13.39	16.87	3.48	
WBW	13.85	17.02	3.17	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 30.30 FEET
CCSD SANTA ROSA WELL SR4 = 49.31 FEET

SAN SIMEON CREEK WELLS				
16D1	8.34	11.36	3.02	Re-read 9/6
MW4	12.84	15.95	3.11	
MW1	19.20	42.11	22.91	
MW2	18.33	38.10	19.77	
MW3	24.32	49.56	25.24	
9M1	29.24	65.63	36.39	
9P2	12.06	19.11	7.05	Re-read 9/6
9P7	12.18	20.69	8.51	
9L1	20.67	27.33	6.66	
RIW	16.94	25.41	8.47	
SS4	17.45	25.92	8.47	SS4 to 9P2 Gradient = + 1.42
MIW	19.40	29.89	10.49	^Re-read SS4 9/6
SS3	21.52	33.73	12.21	
SS2	21.01	33.16	12.15	
SS1	20.49	32.37	11.88	
11B1	46.31	105.43	59.12	
11C1	39.92	98.20	58.28	
PFNW	35.91	93.22	57.31	
10A1	41.49	78.18	36.69	
10G2	30.93	62.95	32.02	
10G1	28.69	59.55	30.86	
10F2	36.62	66.92	30.30	
10M2	31.91	55.21	23.30	
9J3	24.30	43.45	19.15	
lagoon	20.65			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 12.08 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 9/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

8/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 8/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.30	83.42	51.12	
SR4	29.57	82.00	52.43	
SR3	22.10	54.30	32.20	
SR1	19.19	46.40	27.21	
21R3	9.67	12.88	3.21	Meter read 46255 CF
WBE	13.20	16.87	3.67	
WBW	13.68	17.02	3.34	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 29.71 FEET
CCSD SANTA ROSA WELL SR4 = 52.43 FEET

SAN SIMEON CREEK WELLS				
16D1	8.40	11.36	2.96	
MW4	12.78	15.95	3.17	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.14	19.11	6.97	
9P7		20.69		Not Read
9L1	20.36	27.33	6.97	
RIW		25.41		Not Read
SS4	17.20	25.92	8.72	SS4 to 9P2 Gradient = + 1.75
MIW		29.89		Not Read
SS3	21.26	33.73	12.47	
SS2	20.69	33.16	12.47	
SS1	20.10	32.37	12.27	
11B1		105.43		Not Read
11C1	46.09	98.20	52.11	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	30.85	55.21	24.36	
9J3		43.45		Not Read
lagoon	20.90			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 12.40 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 8/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

8/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 8/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.52	83.42	51.90	
SR4	28.88	82.00	53.12	
SR3	20.16	54.30	34.14	
SR1	18.44	46.40	27.96	
21R3	9.53	12.88	3.35	Meter read 46234 CF
WBE	13.05	16.87	3.82	
WBW	13.52	17.02	3.50	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.05 FEET
CCSD SANTA ROSA WELL SR4 = 53.12 FEET

SAN SIMEON CREEK WELLS				
16D1	8.58	11.36	2.78	
MW4	12.91	15.95	3.04	
MW1	18.42	42.11	23.69	
MW2	17.66	38.10	20.44	
MW3	23.41	49.56	26.15	
9M1	35.30	65.63	30.33	
9P2	11.90	19.11	7.21	
9P7	12.60	20.69	8.09	
9L1	20.24	27.33	7.09	
RIW	16.46	25.41	8.95	
SS4	17.14	25.92	8.78	SS4 to 9P2 Gradient = + 1.57
MIW	17.78	29.89	12.11	
SS3	20.86	33.73	12.87	
SS2	20.24	33.16	12.92	
SS1	19.62	32.37	12.75	
11B1	40.81	105.43	64.62	
11C1	38.13	98.20	60.07	
PFNW	30.44	93.22	62.78	
10A1	34.56	78.18	43.62	
10G2	25.70	62.95	37.25	
10G1	24.11	59.55	35.44	
10F2	32.35	66.92	34.57	
10M2	30.15	55.21	25.06	
9J3	22.62	43.45	20.83	
lagoon	20.78			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 12.85 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 8/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

7/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 7/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.56	83.42	51.86	
SR4	28.77	82.00	53.23	
SR3	19.55	54.30	34.75	
SR1	18.06	46.40	28.34	
21R3	9.11	12.88	3.77	Meter read 46091 CF
WBE	12.63	16.87	4.24	
WBW	13.22	17.02	3.80	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.55 FEET
CCSD SANTA ROSA WELL SR4 = 53.23 FEET

SAN SIMEON CREEK WELLS				
16D1	8.40	11.36	2.96	
MW4	12.61	15.95	3.34	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.21	19.11	6.90	
9P7		20.69		Not Read
9L1	20.54	27.33	6.79	
RIW		25.41		Not Read
SS4	17.35	25.92	8.57	SS4 to 9P2 Gradient = + 1.67
MIW		29.89		Not Read
SS3	21.30	33.73	12.43	
SS2	20.58	33.16	12.58	
SS1	19.87	32.37	12.50	
11B1		105.43		Not Read
11C1	33.20	98.20	65.00	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	32.55	55.21	22.66	
9J3		43.45		Not Read
lagoon	21.40			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 12.50 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 7/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

7/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 7/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.52	83.42	51.90	
SR4	28.81	82.00	53.19	
SR3	19.62	54.30	34.68	
SR1	17.95	46.40	28.45	
21R3	9.13	12.88	3.75	Meter read 45974 CF
WBE	12.64	16.87	4.23	
WBW	13.20	17.02	3.82	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.57 FEET
CCSD SANTA ROSA WELL SR4 = 53.19 FEET

SAN SIMEON CREEK WELLS				
16D1	8.55	11.36	2.81	
MW4	12.88	15.95	3.07	
MW1	17.68	42.11	24.43	
MW2	16.97	38.10	21.13	
MW3	22.51	49.56	27.05	
9M1	27.09	65.63	38.54	
9P2	11.89	19.11	7.22	
9P7	12.35	20.69	8.34	
9L1	19.77	27.33	7.56	
RIW	15.97	25.41	9.44	
SS4	16.85	25.92	9.07	SS4 to 9P2 Gradient = + 1.85
MIW	17.25	29.89	12.64	
SS3	20.31	33.73	13.42	
SS2	19.66	33.16	13.50	
SS1	19.02	32.37	13.35	
11B1	32.89	105.43	72.54	
11C1	30.21	98.20	67.99	
PFNW	23.09	93.22	70.13	
10A1	30.65	78.18	47.53	
10G2	23.04	62.95	39.91	
10G1	21.25	59.55	38.30	
10F2	29.62	66.92	37.30	
10M2	27.25	55.21	27.96	
9J3	20.95	43.45	22.50	
lagoon	20.80			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 13.42 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 7/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

6/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 6/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	37.15	83.42	46.27	
SR4	32.55	82.00	49.45	
SR3	19.36	54.30	34.94	
SR1	17.94	46.40	28.46	
21R3	9.04	12.88	3.84	Meter read 45827 CF
WBE	12.49	16.87	4.38	
WBW	13.11	17.02	3.91	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.70 FEET
CCSD SANTA ROSA WELL SR4 = 49.45 FEET

SAN SIMEON CREEK WELLS				
16D1	8.39	11.36	2.97	
MW4	12.75	15.95	3.20	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	12.01	19.11	7.10	
9P7		20.69		Not Read
9L1	20.24	27.33	7.09	
RIW		25.41		Not Read
SS4	17.10	25.92	8.82	SS4 to 9P2 Gradient = + 1.72
MIW		29.89		Not Read
SS3	20.89	33.73	12.84	
SS2	19.67	33.16	13.49	
SS1	19.21	32.37	13.16	
11B1		105.43		Not Read
11C1	26.72	98.20	71.48	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	27.05	55.21	28.16	
9J3		43.45		Not Read
lagoon	20.60			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 13.16 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 6/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

6/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 6/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.01	83.42	52.41	
SR4	28.40	82.00	53.60	
SR3	19.22	54.30	35.08	
SR1	17.82	46.40	28.58	
21R3	8.77	12.88	4.11	Meter read 45707 CF
WBE	12.25	16.87	4.62	
WBW	12.87	17.02	4.15	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.83 FEET
CCSD SANTA ROSA WELL SR4 = 53.60 FEET

SAN SIMEON CREEK WELLS				
16D1	8.30	11.36	3.06	
MW4	12.67	15.95	3.28	
MW1	16.81	42.11	25.30	
MW2	16.13	38.10	21.97	
MW3	21.57	49.56	27.99	
9M1	24.76	65.63	40.87	
9P2	11.71	19.11	7.40	
9P7	11.94	20.69	8.75	
9L1	19.33	27.33	8.00	
RIW	15.50	25.41	9.91	
SS4	16.54	25.92	9.38	SS4 to 9P2 Gradient = + 1.98
MIW	16.64	29.89	13.25	
SS3	19.59	33.73	14.14	
SS2	18.27	33.16	14.89	
SS1	17.81	32.37	14.56	
11B1	26.48	105.43	78.95	
11C1	24.02	98.20	74.18	
PFNW	17.66	93.22	75.56	
10A1	27.77	78.18	50.41	
10G2	20.85	62.95	42.10	
10G1	19.36	59.55	40.19	
10F2	27.61	66.92	39.31	
10M2	25.30	55.21	29.91	
9J3	18.60	43.45	24.85	
lagoon	20.56			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 14.53 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 6/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

5/16/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 5/16/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.02	83.42	51.40	
SR4	29.29	82.00	52.71	
SR3	19.18	54.30	35.12	
SR1	17.71	46.40	28.69	
21R3	8.90	12.88	3.98	Meter read 45592 CF
WBE	12.38	16.87	4.49	
WBW	12.97	17.02	4.05	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.91 FEET
CCSD SANTA ROSA WELL SR4 = 52.71 FEET

SAN SIMEON CREEK WELLS				
16D1	8.48	11.36	2.88	
MW4	12.84	15.95	3.11	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	11.46	19.11	7.65	
9P7		20.69		Not Read
9L1	18.37	27.33	8.96	
RIW		25.41		Not Read
SS4	15.92	25.92	10.00	SS4 to 9P2 Gradient = + 2.35
MIW		29.89		Not Read
SS3	18.39	33.73	15.34	
SS2	16.91	33.16	16.25	
SS1	16.44	32.37	15.93	
11B1		105.43		Not Read
11C1	17.71	98.20	80.49	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	24.28	55.21	30.93	
9J3		43.45		Not Read
lagoon	20.77			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 15.84 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/16/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

5/2/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 5/2/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	37.31	83.42	46.11	
SR4	32.68	82.00	49.32	
SR3	19.23	54.30	35.07	
SR1	17.77	46.40	28.63	
21R3	8.48	12.88	4.40	Meter read 44063 CF
WBE	12.00	16.87	4.87	
WBW	12.62	17.02	4.40	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.85 FEET
CCSD SANTA ROSA WELL SR4 = 49.32 FEET

SAN SIMEON CREEK WELLS				
16D1	8.28	11.36	3.08	
MW4	12.64	15.95	3.31	
MW1	15.89	42.11	26.22	
MW2	15.09	38.10	23.01	
MW3	20.56	49.56	29.00	
9M1	24.73	65.63	40.90	
9P2	11.20	19.11	7.91	
9P7	11.52	20.69	9.17	
9L1	17.60	27.33	9.73	
RIW	13.66	25.41	11.75	
SS4	15.50	25.92	10.42	SS4 to 9P2 Gradient = + 2.51
MIW	14.42	29.89	15.47	
SS3	17.23	33.73	16.50	
SS2	15.66	33.16	17.50	
SS1	15.15	32.37	17.22	
11B1	20.91	105.43	84.52	
11C1	19.21	98.20	78.99	
PFNW	14.05	93.22	79.17	
10A1	26.36	78.18	51.82	
10G2	20.00	62.95	42.95	
10G1	18.60	59.55	40.95	
10F2	26.73	66.92	40.19	
10M2	23.35	55.21	31.86	
9J3	16.51	43.45	26.94	
lagoon	20.61			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 17.07 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/2/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

4/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	30.95	83.42	52.47	
SR4	28.31	82.00	53.69	
SR3	19.17	54.30	35.13	
SR1	17.67	46.40	28.73	
21R3	8.28	12.88	4.60	Meter read 45438 CF
WBE	12.89	16.87	3.98	
WBW	12.41	17.02	4.61	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.93 FEET
CCSD SANTA ROSA WELL SR4 = 53.69 FEET

SAN SIMEON CREEK WELLS				
16D1	8.12	11.36	3.24	
MW4	12.47	15.95	3.48	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.98	19.11	8.13	
9P7		20.69		Not Read
9L1	16.79	27.33	10.54	
RIW		25.41		Not Read
SS4	15.03	25.92	10.89	SS4 to 9P2 Gradient = + 2.76
MIW		29.89		Not Read
SS3	16.10	33.73	17.63	
SS2	14.62	33.16	18.54	
SS1	14.13	32.37	18.24	
11B1		105.43		Not Read
11C1	15.52	98.20	82.68	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.28	55.21	32.93	
9J3		43.45		Not Read
lagoon	20.40			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 18.14 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

4/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 4/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	30.90	83.42	52.52	
SR4	28.11	82.00	53.89	
SR3	19.40	54.30	34.90	Read 4/4/2022
SR1	17.85	46.40	28.55	Read 4/4/2022
21R3	7.42	12.88	5.46	Meter read 45412 CF
WBE	11.17	16.87	5.70	Read 4/4/2022
WBW	11.60	17.02	5.42	Read 4/4/2022
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.73 FEET
CCSD SANTA ROSA WELL SR4 =				53.89 FEET

SAN SIMEON CREEK WELLS				
16D1	6.75	11.36	4.61	
MW4	11.12	15.95	4.83	
MW1	14.90	42.11	27.21	
MW2	13.79	38.10	24.31	
MW3	19.49	49.56	30.07	
9M1	27.88	65.63	37.75	
9P2	10.48	19.11	8.63	
9P7	11.13	20.69	9.56	
9L1	15.67	27.33	11.66	
RIW	11.68	25.41	13.73	
SS4	14.28	25.92	11.64	SS4 to 9P2 Gradient = + 3.01
MIW	12.25	29.89	17.64	
SS3	15.00	33.73	18.73	
SS2	13.61	33.16	19.55	
SS1	13.20	32.37	19.17	
11B1	19.55	105.43	85.88	
11C1	14.52	98.20	83.68	
PFNW	13.43	93.22	79.79	
10A1	26.25	78.18	51.93	
10G2	19.93	62.95	43.02	
10G1	18.56	59.55	40.99	
10F2	26.60	66.92	40.32	
10M2	22.81	55.21	32.40	
9J3	16.08	43.45	27.37	
lagoon	19.96			mitigation erosion none
AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 =				19.15 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

3/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 3/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	32.55	83.42	50.87	
SR4	29.90	82.00	52.10	
SR3	19.20	54.30	35.10	
SR1	17.88	46.40	28.52	
21R3	7.70	12.88	5.18	Meter read 45378 CF
WBE	11.38	16.87	5.49	
WBW	11.85	17.02	5.17	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.81 FEET
CCSD SANTA ROSA WELL SR4 = 52.10 FEET

SAN SIMEON CREEK WELLS				
16D1	7.96	11.36	3.40	
MW4	12.33	15.95	3.62	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.90	19.11	8.21	
9P7		20.69		Not Read
9L1	15.91	27.33	11.42	
RIW		25.41		Not Read
SS4	14.56	25.92	11.36	SS4 to 9P2 Gradient = + 3.15
MIW		29.89		Not Read
SS3	15.30	33.73	18.43	
SS2	13.87	33.16	19.29	
SS1	13.41	32.37	18.96	
11B1		105.43		Not Read
11C1	14.60	98.20	83.60	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	23.07	55.21	32.14	
9J3		43.45		Not Read
lagoon	20.16			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 18.89 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 3/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

03/02/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 03/02/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	37.05	83.42	46.37	
SR4	32.30	82.00	49.70	
SR3	19.18	54.30	35.12	
SR1	17.93	46.40	28.47	
21R3	6.62	12.88	6.26	Meter read 45346 CF
WBE	10.38	16.87	6.49	
WBW	10.72	17.02	6.30	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.80 FEET
CCSD SANTA ROSA WELL SR4 = 49.70 FEET

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SAN SIMEON CREEK WELLS				
16D1	6.16	11.36	5.20	
MW4	10.70	15.95	5.25	
MW1	13.97	42.11	28.14	
MW2	13.18	38.10	24.92	
MW3	18.69	49.56	30.87	
9M1	26.91	65.63	38.72	
9P2	10.63	19.11	8.48	
9P7	10.70	20.69	9.99	
9L1	15.71	27.33	11.62	
RIW	11.73	25.41	13.68	
SS4	14.36	25.92	11.56	SS4 to 9P2 Gradient = + 3.08
MIW	12.31	29.89	17.58	
SS3	15.04	33.73	18.69	
SS2	13.63	33.16	19.53	
SS1	13.21	32.37	19.16	
11B1	19.55	105.43	85.88	
11C1	14.51	98.20	83.69	
PFNW	13.40	93.22	79.82	
10A1	26.37	78.18	51.81	
10G2	19.92	62.95	43.03	
10G1	18.48	59.55	41.07	
10F2	26.56	66.92	40.36	
10M2	22.91	55.21	32.30	
9J3	16.10	43.45	27.35	
lagoon	17.91			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 03/02/2022
reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/15/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/15/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	31.11	83.42	52.31	
SR4	28.42	82.00	53.58	
SR3	19.18	54.30	35.12	
SR1	17.85	46.40	28.55	
21R3	7.26	12.88	5.62	Meter read 45337 CF
WBE	10.97	16.87	5.90	
WBW	11.39	17.02	5.63	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.84 FEET
CCSD SANTA ROSA WELL SR4 = 53.58 FEET

SAN SIMEON CREEK WELLS				
16D1	6.97	11.36	4.39	
MW4	11.40	15.95	4.55	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.46	19.11	8.65	
9P7		20.69		Not Read
9L1	15.57	27.33	11.76	
RIW		25.41		Not Read
SS4	14.21	25.92	11.71	SS4 to 9P2 Gradient = + 3.06
MIW		29.89		Not Read
SS3	14.98	33.73	18.75	
SS2	13.58	33.16	19.58	
SS1	13.12	32.37	19.25	
11B1		105.43		Not Read
11C1	14.31	98.20	83.89	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.72	55.21	32.49	
9J3		43.45		Not Read
lagoon	19.22			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.19 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/15/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/1/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 2/1/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	35.70	83.42	47.72	
SR4	32.66	82.00	49.34	
SR3	19.11	54.30	35.19	
SR1	17.70	46.40	28.70	
21R3	8.38	12.88	4.50	Meter read 45337 CF
WBE	11.79	16.87	5.08	
WBW	12.59	17.02	4.43	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.95 FEET
CCSD SANTA ROSA WELL SR4 = 49.34 FEET

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SAN SIMEON CREEK WELLS				
16D1	4.88	11.36	6.48	
MW4	9.44	15.95	6.51	
MW1	13.37	42.11	28.74	
MW2	13.15	38.10	24.95	
MW3	17.80	49.56	31.76	
9M1	24.99	65.63	40.64	
9P2	10.04	19.11	9.07	
9P7	9.89	20.69	10.80	
9L1	15.38	27.33	11.95	
RIW	11.40	25.41	14.01	
SS4	14.05	25.92	11.87	SS4 to 9P2 Gradient = + 2.80
MIW	11.67	29.89	18.22	
SS3	14.71	33.73	19.02	
SS2	13.33	33.16	19.83	
SS1	12.92	32.37	19.45	
11B1	19.31	105.43	86.12	
11C1	14.22	98.20	83.98	
PFNW	13.15	93.22	80.07	
10A1	26.25	78.18	51.93	
10G2	19.75	62.95	43.20	
10G1	18.27	59.55	41.28	
10F2	26.38	66.92	40.54	
10M2	23.82	55.21	31.39	
9J3	15.77	43.45	27.68	
lagoon	16.78			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.43 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 2/1/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

1/18/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/18/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	33.62	83.42	49.80	
SR4	30.89	82.00	51.11	
SR3	18.97	54.30	35.33	
SR1	17.60	46.40	28.80	
21R3	8.05	12.88	4.83	Meter read 45337 CF
WBE	11.43	16.87	5.44	
WBW	12.41	17.02	4.61	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.07 FEET
CCSD SANTA ROSA WELL SR4 = 51.11 FEET

SAN SIMEON CREEK WELLS				
16D1	6.02	11.36	5.34	
MW4	10.56	15.95	5.39	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.15	19.11	8.96	
9P7		20.69		Not Read
9L1	14.98	27.33	12.35	
RIW		25.41		Not Read
SS4	13.86	25.92	12.06	SS4 to 9P2 Gradient = + 3.10
MIW		29.89		Not Read
SS3	14.13	33.73	19.60	
SS2	12.89	33.16	20.27	
SS1	12.53	32.37	19.84	
11B1		105.43		Not Read
11C1	14.04	98.20	84.16	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	23.77	55.21	31.44	
9J3		43.45		Not Read
lagoon	17.80			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.90 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/18/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

1/3/2022

CAMBRIA COMMUNITY SERVICES DISTRICT
WELL WATER LEVELS FOR 1/3/2022

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
SANTA ROSA CREEK WELLS				
23R	33.66	83.42	49.76	Measured 1/4/2022
SR4	30.86	82.00	51.14	Measured 1/4/2022
SR3	18.49	54.30	35.81	
SR1	16.97	46.40	29.43	
21R3	8.42	12.88	4.46	Meter read 45337 CF
WBE	11.83	16.87	6.00	Measured 1/4/2022
WBW	12.44	17.02	5.62	Measured 1/4/2022

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.62 FEET
CCSD SANTA ROSA WELL SR4 = 51.14 FEET

SAN SIMEON CREEK WELLS				
16D1	7.77	11.36	3.59	
MW4	11.73	15.95	4.22	
MW1	13.34	42.11	28.77	
MW2	14.50	38.10	23.60	
MW3	13.34	49.56	36.22	
9M1	27.03	65.63	38.60	
9P2	8.86	19.11	10.25	
9P7	8.24	20.69	12.45	
9L1	14.04	27.33	13.29	
RIW	9.95	25.41	15.46	
SS4	13.02	25.92	12.90	SS4 to 9P2 Gradient = + 2.65
MIW	10.33	29.89	19.56	
SS3	13.08	33.73	20.65	
SS2	11.98	33.16	21.18	
SS1	11.71	32.37	20.66	
11B1	18.53	105.43	86.90	
11C1	13.32	98.20	84.88	
PFNW	12.35	93.22	80.87	
10A1	24.58	78.18	53.60	
10G2	18.99	62.95	43.96	
10G1	17.55	59.55	42.00	
10F2	25.58	66.92	41.34	
10M2	21.92	55.21	33.29	
9J3	15.07	43.45	28.38	
lagoon	20.72			mitigation errosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 20.83 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 1/3/2022

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015