

6/1/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 6/1/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	35.30	83.42	48.12	
SR4	31.31	82.00	50.69	
SR3	19.47	54.30	34.83	
SR1	17.92	46.40	28.48	
21R3	8.13	12.88	4.75	Meter read 43130 CF
WBE	11.80	16.87	5.07	
WBW	12.21	17.02	4.81	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.66 FEET  
**CCSD SANTA ROSA WELL SR4 = 50.69 FEET**

**SAN SIMEON CREEK WELLS**

16D1	7.02	11.36	4.34	
MW4	12.37	15.95	3.58	
MW1	14.30	42.11	27.81	
MW2	14.05	38.10	24.05	
MW3	18.43	49.56	31.13	
9M1	25.03	65.63	40.60	
9P2	10.56	19.11	8.55	
9P7	10.98	20.69	9.71	
9L1	15.44	27.33	11.89	
RIW	11.51	25.41	13.90	
SS4	14.15	25.92	11.77	SS4 to 9P2 Gradient = + 3.22
MIW	12.15	29.89	17.74	
SS3	14.91	33.73	18.82	
SS2	13.49	33.16	19.67	
SS1	13.05	32.37	19.32	
11B1	19.52	105.43	85.91	
11C1	14.55	98.20	83.65	
PFNW	13.52	93.22	79.70	
10A1	26.02	78.18	52.16	
10G2	19.40	62.95	43.55	
10G1	19.40	59.55	40.15	
10F2	25.74	66.92	41.18	
10M2	23.25	55.21	31.96	
9J3	15.84	43.45	27.61	
lagoon	19.26			mitigation erosion none

**AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.27 FEET**

revised 6/6/16

**Red Font are the CCSD's Production Wells, as measured on 6/1/2020**

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 update 2/17/2015

5/15/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 5/15/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	30.99	83.42	52.43	
SR4	28.26	82.00	53.74	
SR3	19.50	54.30	34.80	
SR1	17.94	46.40	28.46	
21R3	7.78	12.88	5.10	Meter read 43020 CF
WBE	11.51	16.87	5.36	
WBW		17.02		Not Read
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.63 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>53.74 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	6.82	11.36	4.54	
MW4	11.15	15.95	4.80	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.44	19.11	8.67	
9P7		20.69		Not Read
9L1	15.39	27.33	11.94	
RIW		25.41		Not Read
SS4	14.08	25.92	11.84	<b>SS4 to 9P2 Gradient = + 3.17</b>
MIW		29.89		Not Read
SS3	14.87	33.73	18.86	
SS2	13.45	33.16	19.71	
SS1	13.02	32.37	19.35	
11B1		105.43		Not Read
11C1	14.43	98.20	83.77	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	24.04	55.21	31.17	
9J3		43.45		Not Read
lagoon	19.07			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>19.31 FEET</b>

revised 6/6/16

**Red Font are the CCSD's Production Wells, as measured on 5/15/2020**

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

5/1/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 5/1/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	--	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	32.94	83.42	50.48	
SR4	30.17	82.00	51.83	
SR3	19.40	54.30	34.90	
SR1	17.80	46.40	28.60	
21R3	8.22	12.88	4.66	Meter read 42929 CF
WBE	11.94	16.87	4.93	
WBW	12.19	17.02	4.83	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.75 FEET  
**CCSD SANTA ROSA WELL SR4 = 51.83 FEET**

SAN SIMEON CREEK WELLS

16D1	8.09	11.36	3.27	
MW4	12.15	15.95	3.80	
MW1	13.35	42.11	28.76	
MW2	13.02	38.10	25.08	
MW3	17.15	49.56	32.41	
9M1	24.75	65.63	40.88	
9P2	10.41	19.11	8.70	
9P7	10.74	20.69	9.95	
9L1	15.25	27.33	12.08	
RIW	11.31	25.41	14.10	
SS4	14.90	25.92	11.02	SS4 to 9P2 Gradient = + 2.32
MIW	11.89	29.89	18.00	
SS3	14.66	33.73	19.07	
SS2	13.26	33.16	19.90	
SS1	12.84	32.37	19.53	
11B1	19.22	105.43	86.21	
11C1	14.21	98.20	83.99	
PFNW	13.33	93.22	79.89	
10A1	25.91	78.18	52.27	
10G2	19.36	62.95	43.59	
10G1	17.65	59.55	41.90	
10F2	25.67	66.92	41.25	
10M2	22.90	55.21	32.31	
9J3	15.77	43.45	27.68	
lagoon	20.67			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.50 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 5/1/2020

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

4/15/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 4/15/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	--	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	32.50	83.42	50.92	
SR4	29.72	82.00	52.28	
SR3	19.13	54.30	35.17	
SR1	17.42	46.40	28.98	
21R3	7.98	12.88	4.90	Meter read 42929 CF
WBE	11.67	16.87	5.20	
WBW		17.02		Not Read

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 32.08 FEET  
**CCSD SANTA ROSA WELL SR4 = 52.28 FEET**

SAN SIMEON CREEK WELLS

16D1	7.67	11.36	3.69	
MW4	11.54	15.95	4.41	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	9.78	19.11	9.33	
9P7		20.69		Not Read
9L1	14.75	27.33	12.58	
RIW		25.41		Not Read
SS4	13.51	25.92	12.41	<b>SS4 to 9P2 Gradient = + 3.08</b>
MIW		29.89		Not Read
SS3	14.02	33.73	19.71	
SS2	12.68	33.16	20.48	
SS1	12.31	32.37	20.06	
11B1		105.43		Not Read
11C1	13.77	98.20	84.43	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.98	55.21	32.23	
9J3		43.45		Not Read
lagoon	20.36			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 20.08 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 4/15/2020

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

4/1/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 4/1/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	31.45	83.42	51.97	
<b>SR4</b>	<b>28.79</b>	<b>82.00</b>	<b>53.21</b>	
SR3	19.34	54.30	34.96	
SR1	17.73	46.40	28.67	
21R3	8.16	12.88	4.72	Meter read 42929 CF
WBE	11.82	16.87	5.05	
WBW	12.13	17.02	4.89	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.82 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>53.21 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	8.07	11.36	3.29	
MW4	12.12	15.95	3.83	
MW1	13.39	42.11	28.72	
MW2	12.24	38.10	25.86	
MW3	17.60	49.56	31.96	
9M1	23.09	65.63	42.54	
9P2	10.31	19.11	8.80	
9P7	10.85	20.69	9.84	
9L1	15.15	27.33	12.18	
RIW	11.20	25.41	14.21	
SS4	13.91	25.92	12.01	<b>SS4 to 9P2 Gradient = + 3.21</b>
MIW	11.79	29.89	18.10	
<b>SS3</b>	<b>14.56</b>	<b>33.73</b>	<b>19.17</b>	
<b>SS2</b>	<b>13.18</b>	<b>33.16</b>	<b>19.98</b>	
<b>SS1</b>	<b>12.77</b>	<b>32.37</b>	<b>19.60</b>	
11B1	19.16	105.43	86.27	
11C1	14.07	98.20	84.13	
PFNW	13.21	93.22	80.01	
10A1	25.82	78.18	52.36	
10G2	19.29	62.95	43.66	
10G1	17.71	59.55	41.84	
10F2	25.61	66.92	41.31	
10M2	23.10	55.21	32.11	
9J3	15.66	43.45	27.79	
lagoon	20.64			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>19.58 FEET</b>

revised 6/6/16  
4/1/2020  
Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

**Red Font are the CCSD's Production Wells, as measured on**

3/16/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 3/16/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	31.28	83.42	52.14	
SR4	28.46	82.00	53.54	
SR3	18.88	54.30	35.42	
SR1	17.24	46.40	29.16	
21R3	6.91	12.88	5.97	Meter read 42929 CF
WBE	10.50	16.87	6.37	
WBW	10.89	17.02	6.13	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				32.29 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>53.54 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	6.18	11.36	5.18	
MW4	10.41	15.95	5.54	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	9.78	19.11	9.33	
9P7		20.69		Not Read
9L1	14.41	27.33	12.92	
RIW		25.41		Not Read
SS4	13.34	25.92	12.58	<b>SS4 to 9P2 Gradient = + 3.25</b>
MIW		29.89		Not Read
SS3	14.17	33.73	19.56	
SS2	12.51	33.16	20.65	
SS1	11.89	32.37	20.48	
11B1		105.43		Not Read
11C1	13.46	98.20	84.74	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.80	55.21	32.41	
9J3		43.45		Not Read
lagoon	18.80			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>20.23 FEET</b>

revised 6/6/16  
 3/16/2020  
 Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

**Red Font are the CCSD's Production Wells, as measured on**

3/3/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 3/3/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	--	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	34.14	83.42	49.28	
SR4	29.25	82.00	52.75	
SR3	19.54	54.30	34.76	
SR1	17.91	46.40	28.49	
21R3	7.43	12.88	5.45	Meter read 42917 CF
WBE	11.19	16.87	5.68	
WBW	11.56	17.02	5.46	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.63 FEET  
**CCSD SANTA ROSA WELL SR4 = 52.75 FEET**

SAN SIMEON CREEK WELLS

16D1	6.90	11.36	4.46	
MW4	11.25	15.95	4.70	
MW1	14.34	42.11	27.77	
MW2	13.56	38.10	24.54	
MW3	19.04	49.56	30.52	
9M1	26.99	65.63	38.64	
9P2	10.58	19.11	8.53	
9P7	11.07	20.69	9.62	
9L1	15.58	27.33	11.75	
RIW	11.64	25.41	13.77	
SS4	14.28	25.92	11.64	SS4 to 9P2 Gradient = + 3.11
MIW	12.27	29.89	17.62	
SS3	15.04	33.73	18.69	
SS2	13.62	33.16	19.54	
SS1	13.21	32.37	19.16	
11B1	19.66	105.43	85.77	
11C1	14.62	98.20	83.58	
PFNW	13.59	93.22	79.63	
10A1	26.30	78.18	51.88	
10G2	19.58	62.95	43.37	
10G1	17.85	59.55	41.70	
10F2	25.87	66.92	41.05	
10M2	23.15	55.21	32.06	
9J3	15.98	43.45	27.47	
lagoon	19.16			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.13 FEET

revised 6/6/16

Red Font are the CCSD's Production Wells, as measured on 3/3/2020

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

2/18/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 2/18/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	39.12	83.42	44.30	
SR4	33.75	82.00	48.25	
SR3	19.60	54.30	34.70	
SR1	17.84	46.40	28.56	
RP#1		46.25		Not Read
RP#2		33.11		Not Read
21R3	6.99	12.88	5.89	Meter read 42895 units
WBE	10.83	16.87	6.04	
WBW		17.02		Not Read
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.63 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>48.25 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	6.50	11.36	4.86	
MW4	10.86	15.95	5.09	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.40	19.11	8.71	
9P7		20.69		Not Read
9L1	15.53	27.33	11.80	
RIW		25.41		Not Read
SS4	14.35	25.92	11.57	<b>SS4 to 9P2 Gradient = + 2.86</b>
MIW		29.89		Not Read
SS3	15.14	33.73	18.59	
SS2	14.20	33.16	18.96	
SS1	13.25	32.37	19.12	
11B1		105.43		Not Read
11C1	14.55	98.20	83.65	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	24.05	55.21	31.16	
9J3		43.45		Not Read
lagoon	18.81			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>18.89 FEET</b>

revised 6/6/16  
 Red Font are the CCSD's Production Wells, as measured on 2/18/2020  
 Reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015



2/3/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 2/3/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	33.72	83.42	49.70	
SR4	30.55	82.00	51.45	
SR3	19.41	54.30	34.89	
SR1	17.76	46.40	28.64	
RP#1		46.25		Not Read
RP#2		33.11		Not Read
21R3	6.42	12.88	6.46	Meter read 42895 units
WBE	10.24	16.87	6.63	
WBW	10.55	17.02	6.47	
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.77 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>51.45 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	6.72	11.36	4.64	
MW4	11.07	15.95	4.88	
MW1	13.52	42.11	28.59	
MW2	12.38	38.10	25.72	
MW3	18.36	49.56	31.20	
9M1	23.71	65.63	41.92	
9P2	10.33	19.11	8.78	
9P7	10.98	20.69	9.71	
9L1	15.33	27.33	12.00	
RIW	11.40	25.41	14.01	
SS4	14.05	25.92	11.87	<b>SS4 to 9P2 Gradient = + 3.09</b>
MIW	12.06	29.89	17.83	
SS3	14.80	33.73	18.93	
SS2	13.40	33.16	19.76	
SS1	12.97	32.37	19.40	
11B1	19.44	105.43	85.99	
11C1	14.33	98.20	83.87	
PFNW	13.35	93.22	79.87	
10A1	26.17	78.18	52.01	
10G2	26.18	62.95	36.77	
10G1	21.01	59.55	38.54	
10F2	25.98	66.92	40.94	
10M2	22.99	55.21	32.22	
9J3	15.82	43.45	27.63	
lagoon	19.05			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>19.36 FEET</b>

revised 6/6/16

**Red Font are the CCSD's Production Wells, as measured on 2/3/2020**

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015

1/15/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 1/15/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
<b>SANTA ROSA CREEK WELLS</b>				
23R	30.96	83.42	52.46	
<b>SR4</b>	<b>28.29</b>	<b>82.00</b>	<b>53.71</b>	
SR3	19.35	54.30	34.95	
SR1	17.77	46.40	28.63	
RP#1		46.25		Not Read
RP#2		33.11		Not Read
21R3	5.86	12.88	7.02	Meter read 42895 units
WBE	9.69	16.87	7.18	
WBW		17.02		Not Read
AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 =				31.79 FEET
<b>CCSD SANTA ROSA WELL SR4 =</b>				<b>53.71 FEET</b>

<b>SAN SIMEON CREEK WELLS</b>				
16D1	5.96	11.36	5.40	
MW4	10.34	15.95	5.61	
MW1		42.11		Not Read
MW2		38.10		Not Read
MW3		49.56		Not Read
9M1		65.63		Not Read
9P2	10.16	19.11	8.95	
9P7		20.69		Not Read
9L1	15.28	27.33	12.05	
RIW		25.41		Not Read
SS4	13.97	25.92	11.95	<b>SS4 to 9P2 Gradient = + 3.00</b>
MIW		29.89		Not Read
<b>SS3</b>	<b>14.78</b>	<b>33.73</b>	<b>18.95</b>	
<b>SS2</b>	<b>13.35</b>	<b>33.16</b>	<b>19.81</b>	
<b>SS1</b>	<b>12.90</b>	<b>32.37</b>	<b>19.47</b>	
11B1		105.43		Not Read
11C1	14.21	98.20	83.99	
PFNW		93.22		Not Read
10A1		78.18		Not Read
10G2		62.95		Not Read
10G1		59.55		Not Read
10F2		66.92		Not Read
10M2	22.85	55.21	32.36	
9J3		43.45		Not Read
lagoon	18.24			mitigation erosion none
<b>AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 &amp; SS3 =</b>				<b>19.41 FEET</b>

revised 6/6/16

**Red Font are the CCSD's Production Wells, as measured on 1/15/2020**

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updated 2/17/2015

1/2/2020

CAMBRIA COMMUNITY SERVICES DISTRICT  
WELL WATER LEVELS FOR 1/2/2020

Well Code	Distance Ref. Point to Water Level	Reference Point Distance Above Sea Level	Depth of Water to Sea Level	Remarks
-----------	------------------------------------	--	-----------------------------	---------

SANTA ROSA CREEK WELLS

23R	31.40	83.42	52.02	
SR4	28.64	82.00	53.36	
SR3	19.23	54.30	35.07	
SR1	17.55	46.40	28.85	
RP#1		46.25		Not Read
RP#2		33.11		Not Read
21R3	7.97	12.88	4.91	Meter read 42895 units
WBE	11.55	16.87	5.32	
WBW	11.98	17.02	5.04	

AVERAGE LEVEL OF CCSD SANTA ROSA WELLS SR1 & SR3 = 31.96 FEET  
**CCSD SANTA ROSA WELL SR4 = 53.36 FEET**

SAN SIMEON CREEK WELLS

16D1	6.64	11.36	4.72	
MW4	10.85	15.95	5.10	
MW1	15.08	42.11	27.03	
MW2	13.89	38.10	24.21	
MW3	19.80	49.56	29.76	
9M1	24.37	65.63	41.26	
9P2	9.51	19.11	9.60	
9P7	11.36	20.69	9.33	
9L1	14.86	27.33	12.47	
RIW	10.88	25.41	14.53	
SS4	13.54	25.92	12.38	<b>SS4 to 9P2 Gradient = + 2.78</b>
MIW	11.49	29.89	18.40	
SS3	14.26	33.73	19.47	
SS2	12.87	33.16	20.29	
SS1	12.45	32.37	19.92	
11B1	19.08	105.43	86.35	
11C1	13.88	98.20	84.32	
PFNW	12.92	93.22	80.30	
10A1	25.59	78.18	52.59	
10G2	19.05	62.95	43.90	
10G1	17.54	59.55	42.01	
10F2	25.36	66.92	41.56	
10M2	22.30	55.21	32.91	
9J3	15.45	43.45	28.00	
lagoon	18.99			mitigation erosion none

AVERAGE LEVEL OF CCSD SAN SIMEON WELLS SS1,SS2 & SS3 = 19.89 FEET

revised 6/6/16

**Red Font are the CCSD's Production Wells, as measured on 1/2/2020**

reference point on 16d1,miw1,miw2,miw3,9p7,riw,miw1,ss1,ss2 and ss3 updat 2/17/2015